

张鑫, 邢亚娟, 闫国永, 王庆贵 (2018). 细根对降水变化响应的 Meta 分析. *植物生态学报*, 42, 164–172. DOI: 10.17521/cjpe.2017.0203

Zhang X, Xing YJ, Yan GY, Wang QG (2018). Response of fine root to precipitation changes: A meta-analysis. *Chinese Journal of Plant Ecology*, 42, 164–172. DOI: 10.17521/cjpe.2017.0203
<http://www.plant-ecology.com/CN/10.17521/cjpe.2017.0203>

附件I 数据分析的文献

Appendix I The list of references associated with data

- Ansley RJ, Boutton TW, Jacoby PW (2014). Root biomass and distribution patterns in a semi-arid mesquite savanna: Responses to long-term rainfall manipulation. *Rangeland Ecology & Management*, 67, 206–218.
- Bai WM, Wan SQ, Niu SL, Liu WX, Chen QS, Wang QB, Zhang WH, Han XG, Li LH (2010). Increased temperature and precipitation interact to affect root production, mortality, and turnover in a temperate steppe: Implications for ecosystem C cycling. *Global Change Biology*, 16, 1306–1316.
- Bakker MR, Jolicoeur E, Trichet P, Augusto L, Plassard C, Guinberteau J, Loustau D (2008). Adaptation of fine roots to annual fertilization and irrigation in a 13-year-old *Pinus pinaster* stand. *Tree Physiology*, 29, 229–238.
- Brunner I, Herzog C, Dawes MA, Arend M, Sperisen C (2015). How tree roots respond to drought. *Frontiers in Plant Science*, 6, 547. DOI: 10.3389/fpls.2015.00547.
- Campo J, Merino A (2016). Variations in soil carbon sequestration and their determinants along a precipitation gradient in seasonally dry tropical forest ecosystems. *Global Change Biology*, 22, 1942–1956.
- Carrillo Y, Dijkstra FA, LeCain D, Morgan JA, Blumenthal D, Waldron S, Pendall E (2014). Disentangling root responses to climate change in a semiarid grassland. *Oecologia*, 175, 699–711.
- Chairungsee N, Gay F, Thaler P, Kasemsap P, Thanisawanyangkura S, Chantuma A, Jourdan C (2013). Impact of tapping and soil water status on fine root dynamics in a rubber tree plantation in Thailand. *Frontiers in Plant Science*, 4, 538. DOI: 10.3389/fpls.2013.00538
- Chenlemuge T, Hertel D, Dulamsuren C, Khishigjargal M, Leuschner C, Hauck M (2013). Extremely low fine root biomass in *Larix sibirica* forests at the southern drought limit of the boreal forest. *Flora-Morphology, Distribution, Functional Ecology of Plants*, 208, 488–496.
- Chen X, Zhang D, Liang G, Qiu Q, Liu J, Zhou G, Liu S, Chu G, Yan J (2015). Effects of precipitation on soil organic carbon fractions in three subtropical forests in southern China. *Journal of Plant Ecology*, rtv027. DOI: 10.1093/jpe/rtv027.
- Coleman M (2007). Spatial and temporal patterns of root distribution in developing stands of four woody crop species grown with drip irrigation and fertilization. *Plant & Soil*, 299, 195–213.
- Cubera E, Moreno G, Solla A, Madeira M (2012). Root system of *Quercus suber* L. seedlings in response to herbaceous competition and different watering and fertilisation regimes. *Agroforestry Systems*, 85, 205–214.
- Dong JL, Sang WG (2012). Effects of simulated warming and precipitation change on seedling emergence and growth of *Quercus mongolica* in Dongling Mountain, Beijing, China. *Chinese Journal of Plant Ecology*, 36, 819–830. [董佳丽, 桑卫国 (2012). 模拟增温和降水变化对北京东灵山辽东栎种子出苗和幼苗生长的影响. *植物生态学报*, 36, 819–830.]
- Fiala K, Tuma I, Holub P (2012). Interannual variation in root production in grasslands affected by artificially modified amount of rainfall. *The Scientific World Journal*, 2, 805298. DOI: 10.1100/2012/805298.

- Ford CR, McGee J, Scandellari F, Hobbie EA, Mitchell RJ (2012). Long- and short-term precipitation effects on soil CO₂ efflux and total belowground carbon allocation. *Agricultural and Forest Meteorology*, 156, 54–64.
- García-Palacios P, Prieto I, Ourcival JM, Hättenschwiler S (2015). Disentangling the litter quality and soil microbial contribution to leaf and line root litter decomposition responses to reduced rainfall. *Ecosystems*, 19, 490–503.
- Gaul D, Hertel D, Borken W, Matzner E, Leuschner C (2008). Effects of experimental drought on the fine root system of mature Norway spruce. *Forest Ecology and Management*, 256, 1151–1159.
- Gei MG, Powers JS (2015). The influence of seasonality and species effects on surface fine roots and nodulation in tropical legume tree plantations. *Plant & Soil*, 388, 187–196.
- Göransson H, Bambrick MT, Godbold DL (2016). Overyielding of temperate deciduous tree mixtures is maintained under throughfall reduction. *Plant & Soil*, 408, 285–298.
- Girardin CAJ, Malhi Y, Doughty CE, Metcalfe DB, Meir P, del Aguila-Pasquel J, Araujo-Murakami A, da Costa ACL, Silva-Espejo JE, Farfán Amézquita F, Rowland L (2016). Seasonal trends of Amazonian rainforest phenology, net primary productivity, and carbon allocation. *Global Biogeochemical Cycles*, 30. DOI: 10.1002/2015GB005270
- Guo W, Gong H, Han SJ, Jin Y, Wang YH, Feng Y, Wang CG (2016). Effects of nitrogen-water interaction on fine root morphology and production in a mixed *Pinus koraiensis* forest in Changbai Mountains, northeastern China. *Journal of Beijing Forestry University*, 38(4), 29–35. [郭伟, 宫浩, 韩士杰, 金阳, 王译焱, 冯圆, 王存国 (2016). 氮、水交互对长白山阔叶红松林细根形态及生产量的影响. *北京林业大学学报*, 38(4), 29–35.]
- Hanson A, Johnson R, Wigand C, Oczkowski A, Davey E, Markham E (2016). Responses of *Spartina alterniflora* to multiple stressors: Changing precipitation patterns, accelerated sea level rise, and nutrient enrichment. *Estuaries and Coasts*, 39, 1376–1385.
- Hertel D, Strecker T, Müller-Haubold H, Leuschner C, Guo D (2013). Fine root biomass and dynamics in beech forests across a precipitation gradient—Is optimal resource partitioning theory applicable to water-limited mature trees? *Journal of Ecology*, 101, 1183–1200.
- Herzog C, Steffen J, Pannatier EG, Hajdas I, Brunner I (2014). Nine years of irrigation cause vegetation and fine root shifts in a water-limited pine forest. *PLoS ONE*, 9, e96321. DOI: 10.1371/journal.pone.0096321.
- Hungate BA, Hart SC, Selmants PC, Boyle SI, Gehring CA (2007). Soil responses to management, increased precipitation, and added nitrogen in ponderosa pine forests. *Ecological Applications*, 17, 1352–1365.
- Imada S, Yamanaka N, Tamai S (2010). Fine-root growth, fine root mortality, and leaf morphological change of *Populus alba* in response to fluctuating water tables. *Trees*, 24, 499–506.
- Jerbi A, Guidi Nissim W, Fluet R, Labrecque M (2015). Willow root development and morphology changes under different irrigation and fertilization regimes in a vegetation filter. *Bioenergy Research*, 8, 775–787.
- Kong DL, Lü XT, Jiang LL, Wu HF, Miao Y, Kardol P (2013). Extreme rainfall events can alter inter-annual biomass responses to water and N enrichment. *Biogeosciences*, 10, 8129–8138.
- Konôpka B, Lukac M, Andrea V (2013). Moderate drought alters biomass and depth distribution of fine roots in Norway spruce. *Forest Pathology*, 43, 115–123.
- Konôpka B, Noguchi K, Sakata T, Takahashi M, Konôpková Z (2007). Effects of simulated drought stress on the fine roots of Japanese cedar (*Cryptomeria japonica*) in a plantation forest on the Kanto Plain, eastern Japan. *Journal of Forest Research*, 12, 143–151.
- Kukumägi M, Ostonen I, Kupper P, Truu M, Tulva I, Varik M, Aosaar J, Söber J, Lõhmus K (2014). The effects of elevated atmos-

- pheric humidity on soil respiration components in a young silver birch forest. *Agricultural and Forest Meteorology*, 194, 167–174.
- Liu T, Zhang YX, Xu ZZ, Zhou GS, Hou YH, Lin L (2012). Effects of short-term warming and increasing precipitation on soil respiration of desert steppe of Inner Mongolia. *Chinese Journal of Plant Ecology*, 36, 1043–1053. [刘涛, 张永贤, 许振柱, 周广胜, 侯彦会, 林琳 (2012). 短期增温和增加降水对内蒙古荒漠草原土壤呼吸的影响. *植物生态学报*, 36, 1043–1053.]
- Liu Y, Liu S, Wan S, Wang J, Wang H, Liu K (2017). Effects of experimental throughfall reduction and soil warming on fine root biomass and its decomposition in a warm temperate oak forest. *The Science of the Total Environment*, 574, 1448–1455.
- Meier IC, Leuschner C (2008). Genotypic variation and phenotypic plasticity in the drought response of fine roots of European beech. *Tree Physiology*, 28, 297–309.
- Moser G, Leuschner C, Hertel D, Hölscher D, Köhler M, Leitner D, Michalzik B, Prihastanti E, Tjitrosemito S, Schwendenmann L (2010). Response of cocoa trees (*Theobroma cacao*) to a 13-month desiccation period in Sulawesi, Indonesia. *Agroforestry Systems*, 79, 171–187.
- Moser G, Schuldt B, Hertel D, Horna V, Coners H, Barus H, Leuschner C (2014). Replicated throughfall exclusion experiment in an Indonesian perhumid rainforest: Wood production, litter fall and fine root growth under simulated drought. *Global Change Biology*, 20, 1481–1497.
- Olesinski J, Lavigne MB, Krasowski MJ (2011). Effects of soil moisture manipulations on fine root dynamics in a mature balsam fir (*Abies balsamea* L. Mill.) forest. *Tree Physiology*, 31, 339–348.
- Padilla FM, Miranda JD, Armas C, Pugnaire FI (2015). Effects of changes in rainfall amount and pattern on root dynamics in an arid shrubland. *Journal of Arid Environments*, 114, 49–53.
- Padilla FM, Miranda JD, Jorquera MJ, Pugnaire FI (2009). Variability in amount and frequency of water supply affects roots but not growth of arid shrubs. *Plant Ecology*, 204, 261–270.
- Parts K, Tedersoo L, Lõhmus K, Kupper P, Rosenvald K, Sõber A, Ostonen I (2013). Increased air humidity and understory composition shape short root traits and the colonizing ectomycorrhizal fungal community in silver birch stands. *Forest Ecology and Management*, 310, 720–728.
- Romero P, Perez-Perez JG, del Amor FM, Martinez-Cutillas A, Dodd I C, Botia P (2014). Partial root zone drying exerts different physiological responses on field-grown grapevine (*Vitis vinifera* cv. Monastrell) in comparison to regulated deficit irrigation. *Functional Plant Biology*, 41, 1087–1106.
- Rosenvald K, Tullus A, Ostonen I, Uri V, Kupper P, Aosaar J, Varik M, Sõber J, Niglas A, Hansen R, Rohula G, Kukk M, Sõber A, Lõhmus K (2014). The effect of elevated air humidity on young silver birch and hybrid aspen biomass allocation and accumulation-acclimation mechanisms and capacity. *Forest Ecology and Management*, 330, 252–260.
- Samuelson L, Mathew R, Stokes T, Feng YC, Aubrey D, Coleman M (2009). Soil and microbial respiration in a loblolly pine plantation in response to seven years of irrigation and fertilization. *Forest Ecology and Management*, 258, 2431–2438.
- Sellin A, Rosenvald K, Ounapuu-Pikas E, Tullus A, Ostonen I, Lõhmus K (2015). Elevated air humidity affects hydraulic traits and tree size but not biomass allocation in young silver birches (*Betula pendula*). *Frontiers in Plant Science*, 6, 860. DOI: 10.3389/fpls.2015.00860
- Verburg PS, Young AC, Stevenson BA, Glanzmann I, Arnone JA, Marion GM, Holmes C, Nowak RS (2013). Do increased summer precipitation and N deposition alter fine root dynamics in a Mojave Desert ecosystem? *Global Change Biology*, 19, 948–956.
- Wu FZ, Bao WK, Li FL, Wu N (2008). Effects of drought stress and N supply on the growth, biomass partitioning and water-use

efficiency of *Sophora davidii* seedlings. *Environmental and Experimental Botany*, 63, 248–255.

Xiao CW, Janssens IA, Liu P, Zhou ZY, Sun OJ (2007). Irrigation and enhanced soil carbon input effects on below-ground carbon cycling in semiarid temperate grasslands. *New Phytologist*, 174, 835–846.

Yan MF, Zhou GS, Zhang XS (2014). Effects of irrigation on the soil CO₂ efflux from different poplar clone plantations in arid northwest China. *Plant & Soil*, 375, 89–97.

Yan MF, Zhang XS, Jiang Y, Zhou GS (2011). Effects of irrigation and plowing on soil carbon dioxide efflux in a poplar plantation chronosequence in northwest China. *Soil Science and Plant Nutrition*, 57, 466–474.

(责任编辑: 王 葳)