

夏建阳, 鲁芮伶, 朱辰, 崔二乾, 杜莹, 黄昆, 孙宝玉 (2020). 陆地生态系统过程对气候变暖的响应与适应. *植物生态学报*, 44, 494–514. DOI: 10.17521/cjpe.2019.0323

Xia JY, Lu RL, Zhu C, Cui EQ, Du Y, Huang K, Sun BY (2020). Response and adaptation of terrestrial ecosystem processes to climate warming. *Chinese Journal of Plant Ecology*, 44, 494–514. DOI: 10.17521/cjpe.2019.0323

<http://www.plant-ecology.com/CN/10.17521/cjpe.2019.0323>

附录 I 图 2 中涉及的参考文献列表

Supplement I List of references involved in Fig. 2

1 光合作用的热适应

1.1 支持

- Ali AA, Xu C, Rogers A, McDowell NG, Medlyn BE, Fisher RA, Wullschlegel SD, Reich PB, Vrugt JA, Bauerle WL (2015). Global-scale environmental control of plant photosynthetic capacity. *Ecological Applications*, 25, 2349–2365.
- Armond PA, Schreiber U, Björkman O (1978). Photosynthetic acclimation to temperature in the desert shrub, *Larrea divaricata*. II. Light-harvesting efficiency and electron transport. *Plant Physiology*, 61, 411–415.
- Aspinwall MJ, Drake JE, Company C, Vårhammar A, Ghannoum O, Tissue DT, Reich PB, Tjoelker MG (2016). Convergent acclimation of leaf photosynthesis and respiration to prevailing ambient temperatures under current and warmer climates in *Eucalyptus tereticornis*. *New Phytologist*, 212, 354–367.
- Athanasiou K, Dyson BC, Webster RE, Johnson GN (2010). Dynamic acclimation of photosynthesis increases plant fitness in changing environments. *Plant Physiology*, 152, 366–373.
- Atkin OK, Scheurwater I, Pons TL (2006). High thermal acclimation potential of both photosynthesis and respiration in two lowland *Plantago* species in contrast to an alpine congener. *Global Change Biology*, 12, 500–515.
- Badger M, Björkman O, Armond P (1982). An analysis of photosynthetic response and adaptation to temperature in higher plants: temperature acclimation in the desert evergreen *Nerium oleander* L. *Plant, Cell & Environment*, 5, 85–99.
- Berry J, Björkman O (1980). Photosynthetic response and adaptation to temperature in higher plants. *Annual Review of Plant Physiology*, 31, 491–543.
- Bunce JA (2000). Acclimation of photosynthesis to temperature in eight cool and warm climate herbaceous C₃ species: temperature dependence of parameters of a biochemical photosynthesis model. *Photosynthesis Research*, 63, 59–67.
- Campbell C, Atkinson L, Zaragoza-Castells J, Lundmark M, Atkin O, Hurry V (2007). Acclimation of photosynthesis and respiration is asynchronous in response to changes in temperature regardless of plant functional group. *New Phytologist*, 176, 375–389.
- Cheesman AW, Winter K (2013). Growth response and acclimation of CO₂ exchange characteristics to elevated temperatures in tropical tree seedlings. *Journal of Experimental Botany*, 64, 3817–3828.
- Chi Y, Xu M, Shen R, Yang Q, Huang B, Wan S (2013). Acclimation of foliar respiration and photosynthesis in response to experimental warming in a temperate steppe in northern China. *PLOS ONE*, 8, e56482. DOI: 10.1371/journal.pone.0056482.
- Dwyer SA, Ghannoum O, Nicotra A, Von Caemmerer S (2007). High temperature acclimation of C₄ photosynthesis is linked to changes in photosynthetic biochemistry. *Plant, Cell & Environment*, 30, 53–66.
- Gunderson CA, Norby RJ, Wullschlegel SD (2000). Acclimation of photosynthesis and respiration to simulated climatic warming in northern and southern populations of *Acer saccharum*: laboratory and field evidence. *Tree Physiology*, 20, 87–96.
- Gunderson CA, O'hara KH, Campion CM, Walker AV, Edwards NT (2010). Thermal plasticity of photosynthesis: the role of acclimation in forest responses to a warming climate. *Global Change Biology*, 16, 2272–2286.
- Hall M, Medlyn BE, Abramowitz G, Franklin O, Råntfors M, Linder S, Wallin G (2013). Which are the most important parameters for modelling carbon assimilation in boreal Norway spruce under elevated [CO₂] and temperature conditions? *Tree Physiology*, 33, 1156–1176.
- Hikosaka K, Ishikawa K, Borjigidai A, Muller O, Onoda Y (2005). Temperature acclimation of photosynthesis: mechanisms involved in the changes in temperature dependence of photosynthetic rate. *Journal of Experimental Botany*, 57, 291–302.
- Kattge J, Knorr W (2007). Temperature acclimation in a biochemical model of photosynthesis: a reanalysis of data from 36 species. *Plant, Cell & Environment*, 30, 1176–1190.
- Kumarathunge DP, Medlyn BE, Drake JE, Tjoelker MG, Battaglia M, Cano FJ, Carter KR, Cavaleri MA, Cernusak LA (2019). Acclimation and adaptation components of the temperature dependence of plant photosynthesis at the global scale. *New Phytologist*, 222, 768–784.
- Medlyn B, Dreyer E, Ellsworth D, Forstreuter M, Harley P, Kirschbaum M, Le Roux X, Montpied P, Strassmeyer J, Walcroft A (2002). Temperature response of parameters of a biochemically based model of photosynthesis. II. A review of experimental data. *Plant, Cell & Environment*, 25, 1167–1179.
- Reich PB, Sendall KM, Rice K, Rich RL, Stefanski A, Hobbie SE, Montgomery RA (2015). Geographic range predicts photosynthetic and growth response to warming in co-occurring tree species. *Nature Climate Change*, 5, 148–152.
- Ruiz-Vera UM, Siebers MH, Drag DW, Ort DR, Bernacchi CJ (2015). Canopy warming caused photosynthetic acclimation and reduced seed yield in maize grown at ambient and elevated [CO₂]. *Global Change Biology*, 21, 4237–4249.
- Sage RF, Kubien DS (2007). The temperature response of C₃ and C₄ photosynthesis. *Plant, Cell & Environment*, 30, 1086–1106.

- Scafaro AP, Xiang S, Long BM, Bahar NH, Weerasinghe LK, Creek D, Evans JR, Reich PB, Atkin OK (2017). Strong thermal acclimation of photosynthesis in tropical and temperate wet-forest tree species: the importance of altered Rubisco content. *Global Change Biology*, 23, 2783–2800.
- Sendall KM, Reich PB, Zhao C, Jihua H, Wei X, Stefanski A, Rice K, Rich RL, Montgomery RA (2015). Acclimation of photosynthetic temperature optima of temperate and boreal tree species in response to experimental forest warming. *Global Change Biology*, 21, 1342–1357.
- Slot M, Garcia MN, Winter K (2016). Temperature response of CO₂ exchange in three tropical tree species. *Functional Plant Biology*, 43, 468–478.
- Slot M, Winter K (2017). Photosynthetic acclimation to warming in tropical forest tree seedlings. *Journal of Experimental Botany*, 68, 2275–2284.
- Smith NG, Dukes JS (2013). Plant respiration and photosynthesis in global-scale models: incorporating acclimation to temperature and CO₂. *Global Change Biology*, 19, 45–63.
- Smith NG, Dukes JS (2017). Short-term acclimation to warmer temperatures accelerates leaf carbon exchange processes across plant types. *Global Change Biology*, 23, 4840–4853.
- Smith NG, Malyshev SL, Shevliakova E, Kattge J, Dukes JS (2016). Foliar temperature acclimation reduces simulated carbon sensitivity to climate. *Nature Climate Change*, 6, 407–411.
- Tjoelker M, Oleksyn J, Reich PB (1998). Seedlings of five boreal tree species differ in acclimation of net photosynthesis to elevated CO₂ and temperature. *Tree Physiology*, 18, 715–726.
- Way DA, Oren R (2010). Differential responses to changes in growth temperature between trees from different functional groups and biomes: a review and synthesis of data. *Tree Physiology*, 30, 669–688.
- Way DA, Sage RF (2008). Thermal acclimation of photosynthesis in black spruce [*Picea mariana* (Mill.) BSP]. *Plant, Cell & Environment*, 31, 1250–1262.
- Way DA, Stinziano JR, Berghoff H, Oren R (2017). How well do growing season dynamics of photosynthetic capacity correlate with leaf biochemistry and climate fluctuations? *Tree Physiology*, 37, 879–888.
- Way DA, Yamori W (2014). Thermal acclimation of photosynthesis: on the importance of adjusting our definitions and accounting for thermal acclimation of respiration. *Photosynthesis Research*, 119, 89–100.
- Yamaguchi DP, Nakaji T, Hiura T, Hikosaka K (2016). Effects of seasonal change and experimental warming on the temperature dependence of photosynthesis in the canopy leaves of *Quercus serrata*. *Tree Physiology*, 36, 1283–1295.
- Yamori W, Hikosaka K, Way DA (2014). Temperature response of photosynthesis in C₃, C₄, and CAM plants: temperature acclimation and temperature adaptation. *Photosynthesis Research*, 119, 101–117.
- Yamori W, Noguchi K, Terashima I (2005). Temperature acclimation of photosynthesis in spinach leaves: analyses of photosynthetic components and temperature dependencies of photosynthetic partial reactions. *Plant, Cell & Environment*, 28, 536–547.
- Zhou X, Liu X, Wallace LL, Luo Y (2007). Photosynthetic and respiratory acclimation to experimental warming for four species in a tallgrass prairie ecosystem. *Journal of Integrative Plant Biology*, 49, 270–281.

1.2 不支持

- Dillaway DN, Kruger EL (2010). Thermal acclimation of photosynthesis: a comparison of boreal and temperate tree species along a latitudinal transect. *Plant, Cell & Environment*, 33, 888–899.
- Doughty CE (2011). An *in situ* leaf and branch warming experiment in the Amazon. *Biotropica*, 43, 658–665.
- Ow LF, Griffin KL, Whitehead D, Walcroft AS, Turnbull MH (2008). Thermal acclimation of leaf respiration but not photosynthesis in *Populus deltoides* × *nigra*. *New Phytologist*, 178, 123–134.
- Ow LF, Whitehead D, Walcroft AS, Turnbull MH (2010). Seasonal variation in foliar carbon exchange in *Pinus radiata* and *Populus deltoides*: respiration acclimates fully to changes in temperature but photosynthesis does not. *Global Change Biology*, 16, 288–302.

2 光合作用的过补偿效应

2.1 支持

- Griffin KL, Turnbull M, Murthy R, Lin G, Adams J, Farnsworth B, Mahato T, Bazin G, Potasnak M, Berry JA (2002). Leaf respiration is differentially affected by leaf vs. stand-level night-time warming. *Global Change Biology*, 8, 479–485.
- Jing P, Wang D, Zhu C, Chen J (2016). Plant physiological, morphological and yield-related responses to night temperature changes across different species and plant functional types. *Frontiers in Plant Science*, 7, 1774. DOI: 10.3389/fpls.2016.01774.
- Li Z, Lin J, Zhang T, Zhang N, Mu C, Wang J (2014). Effects of summer nocturnal warming on biomass production of *Leymus chinensis* in the Songnen Grassland of China: from bud bank and photosynthetic compensation. *Journal of Agronomy and Crop Science*, 200, 66–76.
- Nicholls N (1997). Increased Australian wheat yield due to recent climate trends. *Nature*, 387, 484–485.
- Sanhueza C, Fuentes F, Cortés D, Bascunan-Godoy L, Sáez PL, Bravo LA, Cavieres LA (2019). Contrasting thermal acclimation of leaf dark respiration and photosynthesis of Antarctic vascular plant species exposed to nocturnal warming. *Physiologia Plantarum*, 167, 205–216.
- Stooksbury D, Michaels P (1994). Climate change and large - area corn yield in the southeastern United States. *Agronomy Journal*, 86, 564–569.
- Tang B, Yin C, Wang Y, Sun Y, Liu Q (2016). Positive effects of night warming on physiology of coniferous trees in late growing season: Leaf and root. *Acta oecologica*, 73, 21–30.
- Turnbull M, Murthy R, Griffin K (2002). The relative impacts of daytime and night - time warming on photosynthetic capacity in *Populus deltoides*. *Plant, Cell & Environment*, 25, 1729–1737.
- Turnbull MH, Tissue DT, Murthy R, Wang X, Sparrow AD, Griffin KL (2004). Nocturnal warming increases photosynthesis at

elevated CO₂ partial pressure in *Populus deltoides*. *New Phytologist*, 161, 819–826.

Volder A, Gifford RM, Evans JR (2007). Effects of elevated atmospheric CO₂, cutting frequency, and differential day/night atmospheric warming on root growth and turnover of *Phalaris swards*. *Global Change Biology*, 13, 1040–1052.

Wan S, Xia J, Liu W, Niu S (2009). Photosynthetic overcompensation under nocturnal warming enhances grassland carbon sequestration. *Ecology*, 90, 2700–2710.

2.2 不支持

Alward RD, Detling JK, Milchunas DG (1999). Grassland vegetation changes and nocturnal global warming. *Science*, 283, 229–231.

Cheesman AW, Winter K (2013). Elevated night - time temperatures increase growth in seedlings of two tropical pioneer tree species. *New Phytologist*, 197, 1185–1192.

Frantz JM, Cometti NN, Bugbee B (2004). Night temperature has a minimal effect on respiration and growth in rapidly growing plants. *Annals of Botany*, 94, 155–166.

Ibrahim MA, Mäenpää M, Hassinen V, Kontunen-Soppela S, Malec L, Rousi M, Pietikänen L, Tervahauta A, Kärenlampi S, Holopainen JK (2010). Elevation of night-time temperature increases terpenoid emissions from *Betula pendula* and *Populus tremula*. *Journal of Experimental Botany*, 61, 1583–1595.

Peng S, Huang J, Sheehy JE, Laza RC, Visperas RM, Zhong X, Centeno GS, Khush GS, Cassman KG (2004). Rice yields decline with higher night temperature from global warming. *Proceedings of the National Academy of Sciences of the United States of America*, 101, 9971–9975.

Phillips CL, Gregg JW, Wilson JK (2011). Reduced diurnal temperature range does not change warming impacts on ecosystem carbon balance of Mediterranean grassland mesocosms. *Global Change Biology*, 17, 3263–3273.

Rosenzweig C, Tubiello FN (1996). Effects of changes in minimum and maximum temperature on wheat yields in the central USA simulation study. *Agricultural and Forest Meteorology*, 80, 215–230.

Sanhueza C, Fuentes F, Cortés D, Bascunan-Godoy L, Sáez PL, Bravo LA, Cavieres LA (2019). Contrasting thermal acclimation of leaf dark respiration and photosynthesis of Antarctic vascular plant species exposed to nocturnal warming. *Physiologia Plantarum*, 167, 205–216.

Ziska L, Manalo P (1996). Increasing night temperature can reduce seed set and potential yield of tropical rice. *Functional Plant Biology*, 23, 791–794.

3 植物呼吸的热适应性

3.1 支持

Armstrong AF, Logan DC, Tobin AK, O'Toole P, Atkin OK (2006). Heterogeneity of plant mitochondrial responses underpinning respiratory acclimation to the cold in *Arabidopsis thaliana* leaves. *Plant Cell & Environment*, 29, 940–949.

Arnone III JA, Körner C (1997). Temperature adaptation and acclimation potential of leaf dark respiration in two species of *Ranunculus* from warm and cold habitats. *Arctic and Alpine Research*, 29, 122–125.

Aspinwall MJ, Drake JE, Company C, Våhåmmar A, Ghannoum O, Tissue DT, Reich PB, Tjoelker MG (2016). Convergent acclimation of leaf photosynthesis and respiration to prevailing ambient temperatures under current and warmer climates in *Eucalyptus tereticornis*. *New Phytologist*, 212, 354–367.

Atkin O, Holly C, Ball M (2000). Acclimation of snow gum (*Eucalyptus pauciflora*) leaf respiration to seasonal and diurnal variations in temperature: the importance of changes in the capacity and temperature sensitivity of respiration. *Plant, Cell & Environment*, 23, 15–26.

Atkin OK, Atkinson LJ, Fisher RA, Campbell CD, Zaragoza-Castells J, Pitchford JW, Woodward FI, Hurry V (2008). Using temperature-dependent changes in leaf scaling relationships to quantitatively account for thermal acclimation of respiration in a coupled global climate-vegetation model. *Global Change Biology*, 14, 2709–2726.

Atkin OK, Bloomfield KJ, Reich PB, Tjoelker MG, Asner GP, Bonal D, Bönisch G, Bradford MG, Cernusak LA, Cosio EG (2015). Global variability in leaf respiration in relation to climate, plant functional types and leaf traits. *New Phytologist*, 206, 614–636.

Atkin OK, Bruhn D, Hurry VM, Tjoelker MG (2005). The hot and the cold: unravelling the variable response of plant respiration to temperature. *Functional Plant Biology*, 32, 87–105.

Atkin OK, Scheurwater I, Pons TL (2006). High thermal acclimation potential of both photosynthesis and respiration in two lowland *Plantago* species in contrast to an alpine congeneric. *Global Change Biology*, 12, 500–515.

Atkin OK, Tjoelker MG (2003). Thermal acclimation and the dynamic response of plant respiration to temperature. *Trends in Plant Science*, 8, 343–351.

Bolstad PV, Reich P, Lee T (2003). Rapid temperature acclimation of leaf respiration rates in *Quercus alba* and *Quercus rubra*. *Tree Physiology*, 23, 969–976.

Bruhn D, Egerton JJ, Loveys BR, Ball MC (2007). Evergreen leaf respiration acclimates to long-term nocturnal warming under field conditions. *Global Change Biology*, 13, 1216–1223.

Bunce JA, Ziska LH (1996). Responses of respiration to increases in carbon dioxide concentration and temperature in three soybean cultivars. *Annals of Botany*, 77, 507–514.

Campbell C, Atkinson L, Zaragoza-Castells J, Lundmark M, Atkin O, Hurry V (2007). Acclimation of photosynthesis and respiration is asynchronous in response to changes in temperature regardless of plant functional group. *New Phytologist*, 176, 375–389.

Chatterton N, McKell C, Strain B (1970). Intraspecific differences in temperature-induced respiratory acclimation of desert saltbush. *Ecology*, 51, 545–547.

Crous KY, Wallin G, Atkin OK, Uddling J, Af Ekenstam A (2017). Acclimation of light and dark respiration to experimental and seasonal warming are mediated by changes in leaf nitrogen in *Eucalyptus globulus*. *Tree Physiology*, 37, 1069–1083.

Crous KY, Zaragoza-Castells J, Loew M, Ellsworth DS, Tissue DT, Tjoelker MG, Barton CV, Gimeno TE, Atkin OK (2011).

- Seasonal acclimation of leaf respiration in *Eucalyptus saligna* trees: impacts of elevated atmospheric CO₂ and summer drought. *Global Change Biology*, 17, 1560–1576.
- Dillaway DN, Kruger EL (2011). Leaf respiratory acclimation to climate: comparisons among boreal and temperate tree species along a latitudinal transect. *Tree Physiology*, 31, 1114–1127.
- Drake JE, Furze ME, Tjoelker MG, Carrillo Y, Barton CV, Pendall E (2019). Climate warming and tree carbon use efficiency in a whole-tree ¹³CO₂ tracer study. *New Phytologist*, 222, 1313–1324.
- Drake JE, Tjoelker MG, Aspinwall MJ, Reich PB, Barton CV, Medlyn BE, Duursma RA (2016). Does physiological acclimation to climate warming stabilize the ratio of canopy respiration to photosynthesis? *New Phytologist*, 211, 850–863.
- Drake JE, Varhammar A, Kumarathunge D, Medlyn BE, Pfautsch S, Reich PB, Tissue DT, Ghannoum O, Tjoelker MG (2017). A common thermal niche among geographically diverse populations of the widely distributed tree species *Eucalyptus tereticornis*: no evidence for adaptation to climate-of-origin. *Global Change Biology*, 23, 5069–5082.
- Drake JE, Varhammar A, Kumarathunge D, Medlyn BE, Pfautsch S, Reich PB, Tissue DT, Ghannoum O, Tjoelker MG (2017). A common thermal niche among geographically diverse populations of the widely distributed tree species *Eucalyptus tereticornis*: no evidence for adaptation to climate-of-origin. *Global Change Biology*, 23, 5069–5082.
- Griffin KL, Prager CM (2017). Where does the carbon go? Thermal acclimation of respiration and increased photosynthesis in trees at the temperate-boreal ecotone. *Tree Physiology*, 37, 281–284.
- Gunderson CA, Norby RJ, Wullschlegel SD (2000). Acclimation of photosynthesis and respiration to simulated climatic warming in northern and southern populations of *Acer saccharum*: laboratory and field evidence. *Tree Physiology*, 20, 87–96.
- Heskel MA, O’Sullivan OS, Reich PB, Tjoelker MG, Weerasinghe LK, Penillard A, Egerton JJ, Creek D, Bloomfield KJ, Xiang J (2016). Convergence in the temperature response of leaf respiration across biomes and plant functional types. *Proceedings of the National Academy of Sciences of the United States of America*, 113, 3832–3837.
- Hikosaka K, Murakami A, Hirose T (1999). Balancing carboxylation and regeneration of ribulose-1,5-bisphosphate in leaf photosynthesis: temperature acclimation of an evergreen tree, *Quercus myrsinaefolia*. *Plant, Cell & Environment*, 22, 841–849.
- Huntingford C, Atkin OK, Martinez-de la Torre A, Mercado LM, Heskel MA, Harper AB, Bloomfield KJ, O’Sullivan OS, Reich PB, Wythers KR (2017). Implications of improved representations of plant respiration in a changing climate. *Nature Communications*, 8, 1602. DOI: 10.1038/s41467-017-01774-z.
- Kruse J, Turnbull TL, Adams MA (2012). Disentangling respiratory acclimation and adaptation to growth temperature by *Eucalyptus*. *New Phytologist*, 195, 149–163.
- Kurepin LV, Stangl ZR, Ivanov AG, Bui V, Mema M, Hüner NP, Öquist G, Way D, Hurr V (2018). Contrasting acclimation abilities of two dominant boreal conifers to elevated CO₂ and temperature. *Plant, Cell & Environment*, 41, 1331–1345.
- Lamba S, Hall M, Råntfors M, Chaudhary N, Linder S, Way D, Uddling J, Wallin G (2018). Physiological acclimation dampens initial effects of elevated temperature and atmospheric CO₂ concentration in mature boreal Norway spruce. *Plant, Cell & Environment*, 41, 300–313.
- Larigauderie A, Körner C (1995). Acclimation of leaf dark respiration to temperature in alpine and lowland plant species. *Annals of Botany*, 76, 245–252.
- Lee T, Reich P, Bolstad P (2005). Acclimation of leaf respiration to temperature is rapid and related to specific leaf area, soluble sugars and leaf nitrogen across three temperate deciduous tree species. *Functional Ecology*, 19, 640–647.
- Loveys B, Atkinson LJ, Sherlock D, Roberts RL, Fitter AH, Atkin OK (2003). Thermal acclimation of leaf and root respiration: an investigation comparing inherently fast- and slow-growing plant species. *Global Change Biology*, 9, 895–910.
- O’Leary BM, Asao S, Millar AH, Atkin OK (2019). Core principles which explain variation in respiration across biological scales. *New Phytologist*, 222, 670–686.
- Ow LF, Griffin KL, Whitehead D, Walcroft AS, Turnbull MH (2008). Thermal acclimation of leaf respiration but not photosynthesis in *Populus deltoides* × *nigra*. *New Phytologist*, 178, 123–134.
- Pearcy RW (1977). Acclimation of photosynthetic and respiratory carbon dioxide exchange to growth temperature in *Atriplex lentiformis* (Torr.) Wats. *Plant Physiology*, 59, 795–799.
- Rachmilevitch S, Lambers H, Huang B (2006). Root respiratory characteristics associated with plant adaptation to high soil temperature for geothermal and turf-type *Agrostis* species. *Journal of Experimental Botany*, 57, 623–631.
- Reich PB, Sendall KM, Stefanski A, Wei X, Rich RL, Montgomery RA (2016). Boreal and temperate trees show strong acclimation of respiration to warming. *Nature*, 531, 633–635.
- Slot M, Kitajima K (2015). General patterns of acclimation of leaf respiration to elevated temperatures across biomes and plant types. *Oecologia*, 177, 885–900.
- Slot M, Rey-Sánchez C, Gerber S, Lichstein JW, Winter K, Kitajima K (2014). Thermal acclimation of leaf respiration of tropical trees and lianas: response to experimental canopy warming, and consequences for tropical forest carbon balance. *Global Change Biology*, 20, 2915–2926.
- Smith NG, Dukes JS (2013). Plant respiration and photosynthesis in global-scale models: incorporating acclimation to temperature and CO₂. *Global Change Biology*, 19, 45–63.
- Smith NG, Dukes JS (2017). Short-term acclimation to warmer temperatures accelerates leaf carbon exchange processes across plant types. *Global Change Biology*, 23, 4840–4853.
- Smith NG, Malyshev SL, Shevliakova E, Katge J, Dukes JS (2016). Foliar temperature acclimation reduces simulated carbon sensitivity to climate. *Nature Climate Change*, 6, 407–411.
- Tjoelker MG, Oleksyn J, Lorenc-Plucinska G, Reich PB (2009). Acclimation of respiratory temperature responses in northern and southern populations of *Pinus banksiana*. *New Phytologist*, 181, 218–229.
- Tjoelker MG, Oleksyn J, Reich PB (1999a). Acclimation of respiration to temperature and CO₂ in seedlings of boreal tree species in relation to plant size and relative growth rate. *Global Change Biology*, 5, 679–691.
- Tjoelker MG, Oleksyn J, Reich PB (2001). Modelling respiration of vegetation: evidence for a general temperature-dependent Q₁₀. *Global Change Biology*, 7, 223–230.

- Tjoelker MG, Oleksyn J, Reich PB, Żytkowiak R (2008). Coupling of respiration, nitrogen, and sugars underlies convergent temperature acclimation in *Pinus banksiana* across wide-ranging sites and populations. *Global Change Biology*, 14, 782–797.
- Tjoelker MG, Reich PB, Oleksyn J (1999b). Changes in leaf nitrogen and carbohydrates underlie temperature and CO₂ acclimation of dark respiration in five boreal tree species. *Plant, Cell & Environment*, 22, 767–778.
- Vanderwel MC, Slot M, Lichstein JW, Reich PB, Kattge J, Atkin OK, Bloomfield KJ, Tjoelker MG, Kitajima K (2015). Global convergence in leaf respiration from estimates of thermal acclimation across time and space. *New Phytologist*, 207, 1026–1037.
- Vico G, Way DA, Hurry V, Manzoni S (2019). Can leaf net photosynthesis acclimate to rising and more variable temperatures? *Plant, Cell & Environment*, 42, 1913–1928.
- Way DA, Yamori W (2014). Thermal acclimation of photosynthesis: on the importance of adjusting our definitions and accounting for thermal acclimation of respiration. *Photosynthesis Research*, 119, 89–100.
- Wythers KR, Reich PB, Tjoelker MG, Bolstad PB (2005). Foliar respiration acclimation to temperature and temperature variable Q_{10} alter ecosystem carbon balance. *Global Change Biology*, 11, 435–449.
- Xiong FS, Mueller EC, Day TA (2000). Photosynthetic and respiratory acclimation and growth response of Antarctic vascular plants to contrasting temperature regimes. *American Journal of Botany*, 87, 700–710.
- Zhou X, Liu X, Wallace LL, Luo Y (2007). Photosynthetic and respiratory acclimation to experimental warming for four species in a tallgrass prairie ecosystem. *Journal of Integrative Plant Biology*, 49, 270–281.
- Zimmerman RC, Smith RD, Alberte RS (1989). Thermal acclimation and whole-plant carbon balance in *Zostera marina* L. (eelgrass). *Journal of Experimental Marine Biology and Ecology*, 130, 93–109.

3.2 不支持

- Burton AJ, Pregitzer KS (2003). Field measurements of root respiration indicate little to no seasonal temperature acclimation for sugar maple and red pine. *Tree Physiology*, 23, 273–280.
- Frantz JM, Cometti NN, Bugbee B (2004). Night temperature has a minimal effect on respiration and growth in rapidly growing plants. *Annals of Botany*, 94, 155–166.
- Gauthier PPG, Crous KY, Ayub G, Duan H, Weerasinghe LK, Ellsworth DS, Tjoelker MG, Evans JR, Tissue DT, Atkin OK (2014). Drought increases heat tolerance of leaf respiration in *Eucalyptus globulus* saplings grown under both ambient and elevated atmospheric CO₂ and temperature. *Journal of Experimental Botany*, 65, 6471–6485.

4 土壤呼吸作用的热适应性

4.1 支持

- Atkin OK, Edwards EJ, Loveys BR (2000). Response of root respiration to changes in temperature and its relevance to global warming. *New Phytologist*, 147, 141–154.
- B árcenas-moreno G, Gómez-brand ón M, Rousk J, B ååh E (2009). Adaptation of soil microbial communities to temperature: comparison of fungi and bacteria in a laboratory experiment. *Global Change Biology*, 15, 2950–2957.
- Bradford MA, Davies CA, Frey SD, Maddox TR, Melillo JM, Mohan JE, Reynolds JF, Treseder KK, Wallenstein MD (2008). Thermal adaptation of soil microbial respiration to elevated temperature. *Ecology Letters*, 11, 1316–1327.
- Bradford MA, Watts BW, Davies CA (2010). Thermal adaptation of heterotrophic soil respiration in laboratory microcosms. *Global Change Biology*, 16, 1576–1588.
- Crowther TW, Bradford MA (2013). Thermal acclimation in widespread heterotrophic soil microbes. *Ecology Letters*, 16, 469–477.
- Dacal M, Bradford MA, Plaza C, Maestre FT, Garc ía-Palacios P (2019). Soil microbial respiration adapts to ambient temperature in global drylands. *Nature Ecology & Evolution*, 3, 232–231.
- Hartley IP, Heinemeyer A, Ineson P (2007). Effects of three years of soil warming and shading on the rate of soil respiration: substrate availability and not thermal acclimation mediates observed response. *Global Change Biology*, 13, 1761–1770.
- Jarvi MP, Burton AJ (2013). Acclimation and soil moisture constrain sugar maple root respiration in experimentally warmed soil. *Tree Physiology*, 33, 949–959.
- Kirschbaum MU (2004). Soil respiration under prolonged soil warming: Are rate reductions caused by acclimation or substrate loss? *Global Change Biology*, 10, 1870–1877.
- Knorr W, Prentice IC, House J, Holland E (2005). Long-term sensitivity of soil carbon turnover to warming. *Nature*, 433, 298–301.
- Lange OL, Green TA (2005). Lichens show that fungi can acclimate their respiration to seasonal changes in temperature. *Oecologia*, 142, 11–19.
- Luo Y, Wan S, Hui D, Wallace LL (2001). Acclimatization of soil respiration to warming in a tall grass prairie. *Nature*, 413, 622–625.
- Maseyk K, Grünzweig JM, Rotenberg E, Yakir D (2008). Respiration acclimation contributes to high carbon-use efficiency in a seasonally dry pine forest. *Global Change Biology*, 14, 1553–1567.
- Melillo J, Steudler P, Aber J, Newkirk K, Lux H, Bowles F, Catricala C, Magill A, Ahrens T, Morrisseau S (2002). Soil warming and carbon-cycle feedbacks to the climate system. *Science*, 298, 2173–2176.
- Melillo JM, Frey SD, DeAngelis KM, Werner WJ, Bernard MJ, Bowles FP, Pold G, Knorr MA, Grandy AS (2017). Long-term pattern and magnitude of soil carbon feedback to the climate system in a warming world. *Science*, 358, 101–105.
- Nazaries L, Tottey W, Robinson L, Khachane A, Al-Soud WA, S ørnsen S, Singh BK (2015). Shifts in the microbial community structure explain the response of soil respiration to land-use change but not to climate warming. *Soil Biology and Biochemistry*, 89, 123–134.
- Niistö SM, Silvola J, Kellom äki S (2004). Soil CO₂ efflux in a boreal pine forest under atmospheric CO₂ enrichment and air warming. *Global Change Biology*, 10, 1363–1376.

- Noh N-J, Kuribayashi M, Saitoh TM, Nakaji T, Nakamura M, Hiura T, Muraoka H (2016) Responses of soil, heterotrophic, and autotrophic respiration to experimental open-field soil warming in a cool-temperate deciduous forest. *Ecosystems*, 19, 504–520.
- Oechel WC, Vourlitis GL, Hastings SJ, Zulueta RC, Hinzman L, Kane D (2000). Acclimation of ecosystem CO₂ exchange in the Alaskan Arctic in response to decadal climate warming. *Nature*, 406, 978–981.
- Peng S, Piao S, Wang T, Sun J, Shen Z (2009). Temperature sensitivity of soil respiration in different ecosystems in China. *Soil Biology and Biochemistry*, 41, 1008–1014.
- Reynolds LL, Johnson BR, Pfeifer-Meister L, Bridgman SD (2015). Soil respiration response to climate change in Pacific Northwest prairies is mediated by a regional Mediterranean climate gradient. *Global Change Biology*, 21, 487–500.
- Romero-Olivares A, Allison S, Treseder K (2017). Soil microbes and their response to experimental warming over time: a meta-analysis of field studies. *Soil Biology and Biochemistry*, 107, 32–40.
- Tong X, Tao B, Cao M (2005). The responses of soil respiration and nitrogen mineralization to global warming in terrestrial ecosystems. *Progress in Geography*, 24, 84–95.
- Tucker CL, Bell J, Pendall E, Ogle K (2013). Does declining carbon-use efficiency explain thermal acclimation of soil respiration with warming? *Global Change Biology*, 19, 252–263.
- Wang X, Liu L, Piao S, Janssens IA, Tang J, Liu W, Chi Y, Wang J, Xu S (2014). Soil respiration under climate warming: differential response of heterotrophic and autotrophic respiration. *Global Change Biology*, 20, 3229–3237.
- Wei H, Guenet B, Vicca S, Nunan N, Abdelgawad H, Pouteau V, Shen W, Janssens IA (2014). Thermal acclimation of organic matter decomposition in an artificial forest soil is related to shifts in microbial community structure. *Soil Biology and Biochemistry*, 71, 1–12.
- Yuste JC, Ma S, Baldocchi D (2010). Plant-soil interactions and acclimation to temperature of microbial-mediated soil respiration may affect predictions of soil CO₂ efflux. *Biogeochemistry*, 98, 127–138.

4.2 不支持

- Carey JC, Tang J, Templer PH, Kroeger KD, Crowther TW, Burton AJ, Dukes JS, Emmett B, Frey SD, Heskell MA (2016). Temperature response of soil respiration largely unaltered with experimental warming. *Proceedings of the National Academy of Sciences of the United States of America*, 113, 13797–13802.
- Contosta AR, Frey SD, Ollinger SV, Cooper AB (2013). Soil respiration does not acclimatize to warmer temperatures when modeled over seasonal timescales. *Biogeochemistry*, 112, 555–570.
- Eliasson PE, McMurtrie RE, Pepper DA, Strömberg M, Linder S, Ågren GI (2005). The response of heterotrophic CO₂ flux to soil warming. *Global Change Biology*, 11, 167–181.
- Hartley IP, Heinemeyer A, Ineson P (2007). Effects of three years of soil warming and shading on the rate of soil respiration: substrate availability and not thermal acclimation mediates observed response. *Global Change Biology*, 13, 1761–1770.
- Hartley IP, Hopkins DW, Garnett MH, Sommerkorn M, Wookey PA (2008). Soil microbial respiration in arctic soil does not acclimate to temperature. *Ecology Letters*, 11, 1092–1100.
- Jing X, Wang Y, Chung H, Mi Z, Wang S, Zeng H, He J-S (2014). No temperature acclimation of soil extracellular enzymes to experimental warming in an alpine grassland ecosystem on the Tibetan Plateau. *Biogeochemistry*, 117, 39–54.
- Karhu K, Auffret MD, Dungait JA, Hopkins DW, Prosser JJ, Singh BK, Subke J-A, Wookey PA, Ågren GI, Sebastia M-T (2014). Temperature sensitivity of soil respiration rates enhanced by microbial community response. *Nature*, 513, 81–83.
- Knorr W, Prentice IC, House J, Holland E (2005). Long-term sensitivity of soil carbon turnover to warming. *Nature*, 433, 298–301.
- Nie M, Pendall E, Bell C, Gasch CK, Raut S, Tamang S, Wallenstein MD (2013). Positive climate feedbacks of soil microbial communities in a semi-arid grassland. *Ecology Letters*, 16, 234–241.
- Niu S, Luo Y, Fei S, Yuan W, Schimel D, Law BE, Ammann C, Altaf Arain M, Arneeth A, Aubinet M (2012). Thermal optimality of net ecosystem exchange of carbon dioxide and underlying mechanisms. *New Phytologist*, 194, 775–783.
- Rinnan R, Michelsen A, Bååth E (2011). Long-term warming of a subarctic heath decreases soil bacterial community growth but has no effects on its temperature adaptation. *Applied Soil Ecology*, 47, 217–220.
- Schindlbacher A, Schneckler J, Takriti M, Borken W, Wanek W (2015). Microbial physiology and soil CO₂ efflux after 9 years of soil warming in a temperate forest-no indications for thermal adaptations. *Global Change Biology*, 21, 4265–4277.
- Vicca S, Fizez L, Kockelbergh F, Van Pelt D, Segers JJ, Meire P, Ceulemans R, Janssens IA (2009). No signs of thermal acclimation of heterotrophic respiration from peat soils exposed to different water levels. *Soil Biology and Biochemistry*, 41, 2014–2016.
- Wu C, Liang N, Sha L, Xu X, Zhang Y, Lu H, Song L, Song Q, Xie Y (2016). Heterotrophic respiration does not acclimate to continuous warming in a subtropical forest. *Scientific Reports*, 6, 21561. DOI: 10.1038/srep21561.

5 春季物候提前现象

5.1 支持

- Ahas R, Aasa A, Menzel A, Fedotova V, Scheifinger H (2002). Changes in European spring phenology. *International Journal of Climatology*, 22, 1727–1738.
- Ahas R, Jaagus J, Aasa A (2000). The phenological calendar of Estonia and its correlation with mean air temperature. *International Journal of Biometeorology*, 44, 159–166.
- Amano T, Smithers RJ, Sparks TH, Sutherland WJ (2010). A 250-year index of first flowering dates and its response to temperature changes. *Proceedings of the Royal Society B: Biological Sciences*, 277, 2451–2457.
- Angert A, Biraud S, Bonfils C, Henning C, Buermann W, Pinzon J, Tucker C, Fung I (2005). Drier summers cancel out the CO₂ uptake enhancement induced by warmer springs. *Proceedings of the National Academy of Sciences of the United States of America*, 102, 10823–10827.
- Askeyev O, Sparks T, Askeyev I, Tishin D, Tryjanowski P (2010). East versus West: contrasts in phenological patterns? *Global*

- Ecology and Biogeography*, 19, 783–793.
- Badeck FW, Bondeau A, Bötcher K, Doktor D, Lucht W, Schaber J, Sitch S (2004). Responses of spring phenology to climate change. *New Phytologist*, 162, 295–309.
- Black T, Chen W, Barr A, Arain M, Chen Z, Nesic Z, Hogg E, Neumann H, Yang P (2000). Increased carbon sequestration by a boreal deciduous forest in years with a warm spring. *Geophysical Research Letters*, 27, 1271–1274.
- Bloor JM, Pichon P, Falcimagne R, Leadley P, Soussana J-F (2010). Effects of warming, summer drought, and CO₂ enrichment on aboveground biomass production, flowering phenology, and community structure in an upland grassland ecosystem. *Ecosystems*, 13, 888–900.
- Busetto L, Colombo R, Migliavacca M, Cremonese E, Meroni M, Galvagno M, Rossini M, Siniscalco C, Di Cella UM, Pari E (2010). Remote sensing of larch phenological cycle and analysis of relationships with climate in the Alpine region. *Global Change Biology*, 16, 2504–2517.
- Chmielewski F-M, Rötzer T (2001). Response of tree phenology to climate change across Europe. *Agricultural and Forest Meteorology*, 108, 101–112.
- Chuine I, Morin X, Bugmann H (2010). Warming, photoperiods, and tree phenology. *Science*, 329, 277–278.
- Cleland EE, Chiariello NR, Loarie SR, Mooney HA, Field CB (2006). Diverse responses of phenology to global changes in a grassland ecosystem. *Proceedings of the National Academy of Sciences*, 103, 13740–13744.
- Crimmins TM, Crimmins MA, Bertelsen CD (2010). Complex responses to climate drivers in onset of spring flowering across a semi-arid elevation gradient. *Journal of Ecology*, 98, 1042–1051.
- Dunne JA, Harte J, Taylor KJ (2003). Subalpine meadow flowering phenology responses to climate change: integrating experimental and gradient methods. *Ecological Monographs*, 73, 69–86.
- Farnsworth E, Nunez-Farfan J, Careaga S, Bazzaz F (1995). Phenology and growth of three temperate forest life forms in response to artificial soil warming. *Journal of Ecology*, 967–977.
- Fitter A, Fitter R (2002). Rapid changes in flowering time in British plants. *Science*, 296, 1689–1691.
- Fu YH, Liu Y, De Boeck HJ, Menzel A, Nijs I, Peaucelle M, Peñuelas J, Piao S, Janssens IA (2016). Three times greater weight of daytime than of night-time temperature on leaf unfolding phenology in temperate trees. *New Phytologist*, 212, 590–597.
- Fu YH, Piao S, Delpierre N, Hao F, Hänninen H, Liu Y, Sun W, Janssens IA, Campioli M (2018). Larger temperature response of autumn leaf senescence than spring leaf-out phenology. *Global Change Biology*, 24, 2159–2168.
- Fu YH, Zhao H, Piao S, Peaucelle M, Peng S, Zhou G, Ciais P, Huang M, Menzel A, Peñuelas J (2015). Declining global warming effects on the phenology of spring leaf unfolding. *Nature*, 526, 104–107.
- Fujisawa M, Kobayashi K (2010). Apple (*Malus pumila* var. *domestica*) phenology is advancing due to rising air temperature in northern Japan. *Global Change Biology*, 16, 2651–2660.
- Ge Q, Wang H, Rutishauser T, Dai J (2015). Phenological response to climate change in China: a meta-analysis. *Global Change Biology*, 21, 265–274.
- Gordo O, Sanz JJ (2005). Phenology and climate change: a long-term study in a Mediterranean locality. *Oecologia*, 146, 484–495.
- Gordo O, Sanz JJ (2010). Impact of climate change on plant phenology in Mediterranean ecosystems. *Global Change Biology*, 16, 1082–1106.
- Goulden ML, Munger JW, Fan S-M, Daube BC, Wofsy SC (1996). Exchange of carbon dioxide by a deciduous forest: response to interannual climate variability. *Science*, 271, 1576–1578.
- Gunderson CA, Edwards NT, Walker AV, O'Hara KH, Campion CM, Hanson PJ (2012). Forest phenology and a warmer climate-growing season extension in relation to climatic provenance. *Global Change Biology*, 18, 2008–2025.
- Hamunyela E, Verbesselt J, Roerink G, Herold M (2013). Trends in spring phenology of western European deciduous forests. *Remote Sensing*, 5, 6159–6179.
- Hoffmann AA, Camac JS, Williams RJ, Papst W, Jarrad FC, Wahren CH (2010). Phenological changes in six Australian subalpine plants in response to experimental warming and year-to-year variation. *Journal of Ecology*, 98, 927–937.
- Hovenden MJ, Wills KE, Vander Schoor JK, Williams AL, Newton PC (2008). Flowering phenology in a species-rich temperate grassland is sensitive to warming but not elevated CO₂. *New Phytologist*, 178, 815–822.
- Hülber K, Winkler M, Grabherr G (2010). Intraseasonal climate and habitat-specific variability controls the flowering phenology of high alpine plant species. *Functional Ecology*, 24, 245–252.
- Jeong SJ, HO CH, GIM HJ, Brown ME (2011). Phenology shifts at start vs. end of growing season in temperate vegetation over the Northern Hemisphere for the period 1982–2008. *Global Change Biology*, 17, 2385–2399.
- Keenan TF, Gray J, Friedl MA, Toomey M, Bohrer G, Hollinger DY, Munger JW, O'Keefe J, Schmid HP, Wing IS (2014). Net carbon uptake has increased through warming-induced changes in temperate forest phenology. *Nature Climate Change*, 4, 598–603.
- Linkosalo T, Hänninen R, Terhivuo J, Tuomenvirta H, Hari P (2009). The time series of flowering and leaf bud burst of boreal trees (1846–2005) support the direct temperature observations of climatic warming. *Agricultural and forest meteorology*, 149, 453–461.
- Liu Y, Reich PB, Li G, Sun S (2011). Shifting phenology and abundance under experimental warming alters trophic relationships and plant reproductive capacity. *Ecology*, 92, 1201–1207.
- Lucht W, Prentice IC, Myneni RB, Sitch S, Friedlingstein P, Cramer W, Bousquet P, Buermann W, Smith B (2002). Climatic control of the high-latitude vegetation greening trend and Pinatubo effect. *Science*, 296, 1687–1689.
- Menzel A (2000). Trends in phenological phases in Europe between 1951 and 1996. *International Journal of Biometeorology*, 44, 76–81.
- Menzel A (2003). Plant phenological anomalies in Germany and their relation to air temperature and NAO. *Climatic Change*, 57, 243–263.
- Migliavacca M, Sonntag O, Keenan T, Cescatti A, O'Keefe J, Richardson A (2012). On the uncertainty of phenological responses to climate change, and implications for a terrestrial biosphere model. *Biogeosciences*, 9, 2063–2083.

- Morin X, Roy J, Soni  L, Chuine I (2010). Changes in leaf phenology of three European oak species in response to experimental climate change. *New Phytologist*, 186, 900–910.
- Myneni RB, Keeling C, Tucker CJ, Asrar G, Nemani RR (1997). Increased plant growth in the northern high latitudes from 1981 to 1991. *Nature*, 386, 698–702.
- Norby RJ, Hartz-Rubin JS, Verbrugge MJ (2003). Phenological responses in maple to experimental atmospheric warming and CO₂ enrichment. *Global Change Biology*, 9, 1792–1801.
- Parmesan C, Yohe G (2003). A globally coherent fingerprint of climate change impacts across natural systems. *Nature*, 421, 37–42.
- Pau S, Wolkovich EM, Cook BI, Davies TJ, Kraft NJ, Bolmgren K, Betancourt JL, Cleland EE (2011). Predicting phenology by integrating ecology, evolution and climate science. *Global Change Biology*, 17, 3633–3643.
- Pe  uelas J, Filella I, Comas P (2002). Changed plant and animal life cycles from 1952 to 2000 in the Mediterranean region. *Global Change Biology*, 8, 531–544.
- Piao S, Ciais P, Friedlingstein P, Peylin P, Reichstein M, Luysaert S, Margolis H, Fang J, Barr A, Chen A (2008). Net carbon dioxide losses of northern ecosystems in response to autumn warming. *Nature*, 451, 49–52.
- Piao S, Fang J, Zhou L, Ciais P, Zhu B (2006). Variations in satellite-derived phenology in China’s temperate vegetation. *Global Change Biology*, 12, 672–685.
- Piao S, Liu Q, Chen A, Janssens IA, Fu Y, Dai J, Liu L, Lian X, Shen M, Zhu X (2019). Plant phenology and global climate change: current progresses and challenges. *Global Change Biology*, 25, 1922–1940.
- Polgar CA, Primack RB (2011). Leaf-out phenology of temperate woody plants: from trees to ecosystems. *New Phytologist*, 191, 926–941.
- Price MV, Waser NM (1998). Effects of experimental warming on plant reproductive phenology in a subalpine meadow. *Ecology*, 79, 1261–1271.
- Prieto P, Pe  uelas J, Niinemets  , Ogaya R, Schmidt IK, Beier C, Tietema A, Sowerby A, Emmett BA, L  ng EK (2009). Changes in the onset of spring growth in shrubland species in response to experimental warming along a north-south gradient in Europe. *Global Ecology and Biogeography*, 18, 473–484.
- Randerson J, Field C, Fung I, Tans P (1999). Increases in early season ecosystem uptake explain recent changes in the seasonal cycle of atmospheric CO₂ at high northern latitudes. *Geophysical Research Letters*, 26, 2765–2768.
- Richardson AD, Hufkens K, Milliman T, Aubrecht DM, Furze ME, Seyednasrollah B, Krassovski MB, Latimer JM, Nettles WR, Heiderman RR (2018). Ecosystem warming extends vegetation activity but heightens vulnerability to cold temperatures. *Nature*, 560, 368–371.
- Root TL, Price JT, Hall KR, Schneider SH, Rosenzweig C, Pounds JA (2003). Fingerprints of global warming on wild animals and plants. *Nature*, 421, 57–60.
- Rossi S, Morin H, Deslauriers A, Plourde Py (2011). Predicting xylem phenology in black spruce under climate warming. *Global Change Biology*, 17, 614–625.
- Schwartz MD, Ahas R, Aasa A (2006). Onset of spring starting earlier across the Northern Hemisphere. *Global Change Biology*, 12, 343–351.
- Sherry RA, Zhou X, Gu S, Arnone JA, Schimel DS, Verburg PS, Wallace LL, Luo Y (2007). Divergence of reproductive phenology under climate warming. *Proceedings of the National Academy of Sciences of the United States of America*, 104, 198–202.
- Slaney M, Wallin G, Medhurst J, Linder S (2007). Impact of elevated carbon dioxide concentration and temperature on bud burst and shoot growth of boreal Norway spruce. *Tree Physiology*, 27, 301–312.
- Vitasse Y, Bresson CC, Kremer A, Michalet R, Delzon S (2010). Quantifying phenological plasticity to temperature in two temperate tree species. *Functional Ecology*, 24, 1211–1218.
- Wolfe DW, Schwartz MD, Lakso AN, Otsuki Y, Pool RM, Shaulis NJ (2005). Climate change and shifts in spring phenology of three horticultural woody perennials in northeastern USA. *International Journal of Biometeorology*, 49, 303–309.
- Wolkovich EM, Cook BI, Allen JM, Crimmins TM, Betancourt JL, Travers SE, Pau S, Regetz J, Davies TJ, Kraft NJ (2012). Warming experiments underpredict plant phenological responses to climate change. *Nature*, 485, 494–497.
- Xia J, Wan S (2012). The effects of warming-shifted plant phenology on ecosystem carbon exchange are regulated by precipitation in a semi-arid grassland. *PLOS ONE*, 7, e32088. DOI: 10.1371/journal.pone.0032088.
- Yang B, He M, Shishov V, Tychkov I, Vaganov E, Rossi S, Ljungqvist FC, Br  uning A, Griesinger J (2017). New perspective on spring vegetation phenology and global climate change based on Tibetan Plateau tree-ring data. *Proceedings of the National Academy of Sciences of the United States of America*, 114, 6966–6971.
- Zha T, Barr AG, van der Kamp G, Black TA, McCaughey JH, Flanagan LB (2010). Interannual variation of evapotranspiration from forest and grassland ecosystems in western Canada in relation to drought. *Agricultural and Forest Meteorology*, 150, 1476–1484.
- Zheng J, Ge Q, Hao Z (2002). Impact of climate warming on plant phenology during recent 40 years in China. *Scientific Bulletin*, 47, 1582–1587.

5.2 不支持

- Bokhorst S, Bjerke JW, Street L, Callaghan TV, Phoenix GK (2011). Impacts of multiple extreme winter warming events on sub-Arctic heathland: phenology, reproduction, growth, and CO₂ flux responses. *Global Change Biology*, 17, 2817–2830.
- Chuine I, Cour P (1999). Climatic determinants of budburst seasonality in four temperate-zone tree species. *New Phytologist*, 143, 339–349.
- Ford KR, Harrington CA, Bansal S, Gould PJ, Bradley St Clair J (2016). Will changes in phenology track climate change? A study of growth initiation timing in coast Douglas-fir. *Global Change Biology*, 22, 3712–3723.
- Fu YH, Piao S, Op de Beeck M, Cong N, Zhao H, Zhang Y, Menzel A, Janssens IA (2014). Recent spring phenology shifts in western Central Europe based on multiscale observations. *Global Ecology and Biogeography*, 23, 1255–1263.
- H  nninen H, Tanino K (2011). Tree seasonality in a warming climate. *Trends in Plant Science*, 16, 412–416.

- Laube J, Sparks TH, Estrella N, Höfler J, Ankerst DP, Menzel A (2014). Chilling outweighs photoperiod in preventing precocious spring development. *Global Change Biology*, 20, 170–182.
- Luedeling E, Kunz A, Blanke MM (2013). Identification of chilling and heat requirements of cherry trees—A statistical approach. *International Journal of Biometeorology*, 57, 679–689.
- Migliavacca M, Sonntag O, Keenan T, Cescatti A, O’keefe J, Richardson A (2012). On the uncertainty of phenological responses to climate change, and implications for a terrestrial biosphere model. *Biogeosciences*, 9, 2063–2083.
- Polgar CA, Primack RB (2011). Leaf-out phenology of temperate woody plants: from trees to ecosystems. *New Phytologist*, 191, 926–941.
- Steinaker DF, Wilson SD, Peltzer DA (2010). Asynchronicity in root and shoot phenology in grasses and woody plants. *Global Change Biology*, 16, 2241–2251.
- Von Holle B, Wei Y, Nickerson D (2010). Climatic variability leads to later seasonal flowering of Floridian plants. *PLOS ONE*, 5, e11500. DOI: 10.1371/journal.pone.0011500.
- Yu H, Luedeling E, Xu J (2010). Winter and spring warming result in delayed spring phenology on the Tibetan Plateau. *Proceedings of the National Academy of Sciences of the United States of America*, 107, 22151–22156.

6 秋季物候推迟现象

6.1 支持

- Barichivich J, Briffa KR, Myneni RB, Osborn TJ, Melvin TM, Ciais P, Piao S, Tucker C (2013). Large-scale variations in the vegetation growing season and annual cycle of atmospheric CO₂ at high northern latitudes from 1950 to 2011. *Global Change Biology*, 19, 3167–3183.
- Fridley JD (2012). Extended leaf phenology and the autumn niche in deciduous forest invasions. *Nature*, 485, 359–362.
- Fu YH, Piao S, Delpierre N, Hao F, Hänninen H, Liu Y, Sun W, Janssens IA, Campioli M (2018). Larger temperature response of autumn leaf senescence than spring leaf-out phenology. *Global Change Biology*, 24, 2159–2168.
- Ge Q, Wang H, Rutishauser T, Dai J (2015). Phenological response to climate change in China: a meta-analysis. *Global Change Biology*, 21, 265–274.
- Gill AL, Gallinat AS, Sanders-DeMott R, Rigden AJ, Short Gianotti DJ, Mantooth JA, Templer PH (2015). Changes in autumn senescence in northern hemisphere deciduous trees: a meta-analysis of autumn phenology studies. *Annals of Botany*, 116, 875–888.
- Gunderson CA, Edwards NT, Walker AV, O’Hara KH, Champion CM, Hanson PJ (2012). Forest phenology and a warmer climate-growing season extension in relation to climatic provenance. *Global Change Biology*, 18, 2008–2025.
- Ibáñez I, Primack RB, Miller-Rushing AJ, Ellwood E, Higuchi H, Lee SD, Kobori H, Silander JA (2010). Forecasting phenology under global warming. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365, 3247–3260.
- Jeong SJ, HO CH, GIM HJ, Brown ME (2011). Phenology shifts at start vs. end of growing season in temperate vegetation over the Northern Hemisphere for the period 1982–2008. *Global Change Biology*, 17, 2385–2399.
- Jeong SJ, Medvigy D (2014). Macroscale prediction of autumn leaf coloration throughout the continental United States. *Global Ecology and Biogeography*, 23, 1245–1254.
- Keenan TF, Gray J, Friedl MA, Toomey M, Bohrer G, Hollinger DY, Munger JW, O’Keefe J, Schmid HP, Wing IS (2014). Net carbon uptake has increased through warming-induced changes in temperate forest phenology. *Nature Climate Change*, 4, 598–604.
- Liu Q, Fu YH, Zhu Z, Liu Y, Liu Z, Huang M, Janssens IA, Piao S (2016). Delayed autumn phenology in the Northern Hemisphere is related to change in both climate and spring phenology. *Global Change Biology*, 22, 3702–3711.
- Marchin RM, Salk CF, Hoffmann WA, Dunn RR (2015). Temperature alone does not explain phenological variation of diverse temperate plants under experimental warming. *Global Change Biology*, 21, 3138–3151.
- Menzel A, Sparks TH, Estrella N, Koch E, Aasa A, Ahas R, Alm-Kubler K, Bissolli P, Braslavská O, Briede A (2006). European phenological response to climate change matches the warming pattern. *Global Change Biology*, 12, 1969–1976.
- Myneni RB, Keeling C, Tucker CJ, Asrar G, Nemani RR (1997). Increased plant growth in the northern high latitudes from 1981 to 1991. *Nature*, 386, 698–702.
- Richardson AD, Hufkens K, Milliman T, Aubrecht DM, Furze ME, Seyednasrollah B, Krassovski MB, Latimer JM, Nettles WR, Heiderman RR (2018). Ecosystem warming extends vegetation activity but heightens vulnerability to cold temperatures. *Nature*, 560, 368–371.
- Sparks TH, Menzel A (2002). Observed changes in seasons: an overview. *International Journal of Climatology*, 22, 1715–1725.
- Vitasse Y, François C, Delpierre N, Dufrêne E, Kremer A, Chuine I, Delzon S (2011). Assessing the effects of climate change on the phenology of European temperate trees. *Agricultural and Forest Meteorology*, 151, 969–980.
- Yang B, He M, Shishov V, Tychkov I, Vaganov E, Rossi S, Ljungqvist FC, Bräuning A, Griesinger J (2017). New perspective on spring vegetation phenology and global climate change based on Tibetan Plateau tree-ring data. *Proceedings of the National Academy of Sciences*, 114, 6966–6971.

6.2 不支持

- Fu YS, Campioli M, Vitasse Y, De Boeck HJ, Van den Berge J, AbdElgawad H, Asard H, Piao S, Deckmyn G, Janssens IA (2014). Variation in leaf flushing date influences autumnal senescence and next year’s flushing date in two temperate tree species. *Proceedings of the National Academy of Sciences of the United States of America*, 111, 7355–7360.
- Smith NV, Saatchi SS, Randerson JT (2004). Trends in high northern latitude soil freeze and thaw cycles from 1988 to 2002. *Journal of Geophysical Research*, 109, D12101. DOI: 10.1029/2003JD004472.
- Tucker CJ, Slayback DA, Pinzon JE, Los SO, Myneni RB, Taylor MG (2001). Higher northern latitude normalized difference vegetation index and growing season trends from 1982 to 1999. *International Journal of Biometeorology*, 45, 184–190.

7 植物群落物种组成改变

7.1 支持

- Bhatta KP, Vetaas OR (2016). Does tree canopy closure moderate the effect of climate warming on plant species composition of temperate Himalayan oak forest? *Journal of Vegetation Science*, 27, 948–957.
- Chapin III FS, Randerson JT, McGuire AD, Foley JA, Field CB (2008). Changing feedbacks in the climate-biosphere system. *Frontiers in Ecology and the Environment*, 6, 313–320.
- Dieleman CM, Branfireun BA, McLaughlin JW, Lindo Z (2015). Climate change drives a shift in peatland ecosystem plant community: implications for ecosystem function and stability. *Global Change Biology*, 21, 388–395.
- Dukes JS, Mooney HA (1999). Does global change increase the success of biological invaders? *Trends in Ecology & Evolution*, 14, 135–139.
- Field CB, Lobell DB, Peters HA, Chiariello NR (2007). Feedbacks of terrestrial ecosystems to climate change. *Annual Review of Environment and Resources*, 32, 1–29.
- Ganjurjav H, Gao Q, Gornish ES, Schwartz MW, Liang Y, Cao X, Zhang W, Zhang Y, Li W, Wan Y (2016). Differential response of alpine steppe and alpine meadow to climate warming in the central Qinghai-Tibetan Plateau. *Agricultural and forest meteorology*, 223, 233–240.
- Gedan KB, Bertness MD (2009). Experimental warming causes rapid loss of plant diversity in New England salt marshes. *Ecology Letters*, 12, 842–848.
- Gottfried M, Pauli H, Futschik A, Akhalkatsi M, Barančok P, Alonso JLB, Coldea G, Dick J, Erschbamer B, Kazakis G (2012). Continent-wide response of mountain vegetation to climate change. *Nature Climate Change*, 2, 111–115.
- Harmens H, Williams PD, Peters SL, Bambrick MT, Hopkins A, Ashenden TW (2004). Impacts of elevated atmospheric CO₂ and temperature on plant community structure of a temperate grassland are modulated by cutting frequency. *Grass and Forage Science*, 59, 144–156.
- Hoeppner SS, Dukes JS (2012). Interactive responses of old-field plant growth and composition to warming and precipitation. *Global Change Biology*, 18, 1754–1768.
- Klanderud K, Totland O (2005). Simulated climate change altered dominance hierarchies and diversity of an alpine biodiversity hotspot. *Ecology*, 86, 2047–2054.
- Klein JA, Harte J, Zhao XQ (2004). Experimental warming causes large and rapid species loss, dampened by simulated grazing, on the Tibetan Plateau. *Ecology Letters*, 7, 1170–1179.
- Liu D, Estiarte M, Ogaya R, Yang X, Peñuelas J (2017). Shift in community structure in an early-successional Mediterranean shrubland driven by long-term experimental warming and drought and natural extreme droughts. *Global Change Biology*, 23, 4267–4279.
- Liu H, Mi Z, Lin L, Wang Y, Zhang Z, Zhang F, Wang H, Liu L, Zhu B, Cao G (2018). Shifting plant species composition in response to climate change stabilizes grassland primary production. *Proceedings of the National Academy of Sciences of the United States of America*, 115, 4051–4056.
- Luo Y (2007). Terrestrial carbon-cycle feedback to climate warming. *Annual Review of Ecology Evolution and Systematics*, 38, 683–712.
- Olofsson J, Oksanen L, Callaghan T, Hulme PE, Oksanen T, Suominen O (2009). Herbivores inhibit climate-driven shrub expansion on the tundra. *Global Change Biology*, 15, 2681–2693.
- Post E, Pedersen C (2008). Opposing plant community responses to warming with and without herbivores. *Proceedings of the National Academy of Sciences of the United States of America*, 105, 12353–12358.
- Saleska SR, Shaw MR, Fischer ML, Dunne JA, Still CJ, Holman ML, Harte J (2002). Plant community composition mediates both large transient decline and predicted long-term recovery of soil carbon under climate warming. *Global Biogeochemical Cycles*, 16, GB001573. DOI: 10.1029/2006GB002888.
- Shaver GR, Canadell J, Chapin FS, Gurevitch J, Harte J, Henry G, Ineson P, Jonasson S, Melillo J, Pitelka L (2000). Global warming and terrestrial ecosystems: a conceptual framework for analysis. *BioScience*, 50, 871–882.
- Shi Z, Sherry R, Xu X, Hararuk O, Souza L, Jiang L, Xia J, Liang J, Luo Y (2015). Evidence for long-term shift in plant community composition under decadal experimental warming. *Journal of Ecology*, 103, 1131–1140.
- Smith MD, Knapp AK, Collins SL (2009). A framework for assessing ecosystem dynamics in response to chronic resource alterations induced by global change. *Ecology*, 90, 3279–3289.
- Tilman D, Reich PB, Knops JMH (2006). Biodiversity and ecosystem stability in a decade-long grassland experiment. *Nature*, 441, 629–632.
- Walker MD, Wahren CH, Hollister RD, Henry GH, Ahlquist LE, Alatalo JM, Bret-Harte MS, Calef MP, Callaghan TV, Carroll AB (2006a). Plant community responses to experimental warming across the tundra biome. *Proceedings of the National Academy of Sciences of the United States of America*, 103, 1342–1346.
- Walker MD, Wahren CH, Hollister RD, Henry GHR, Ahlquist LE, Alatalo JM, Bret-Harte MS, Calef MP, Callaghan TV, Carroll AB, Epstein HE, Jonsdottir IS, Klein JA, Magnusson B, Molau U, Oberbauer SF, Rewa SP, Robinson CH, Shaver GR, Suding KN, Thompson CC, Tolvanen A, Totland O, Turner PL, Tweedie CE, Webber PJ, Wookey PA (2006b). Plant community responses to experimental warming across the tundra biome. *Proceedings of the National Academy of Sciences of the United States of America*, 103, 1342–1346.
- Walther G-R, Roques A, Hulme PE, Sykes MT, Pysek P, Kuehn I, Zobel M, Bacher S, Botta-Dukat Z, Bugmann H, Czucz B, Dauber J, Hickler T, Jarosik V, Kenis M, Klotz S, Minchin D, Moora M, Nentwig W, Ott J, Panov VE, Reineking B, Robinet C, Semchenko V, Solarz W, Thuiller W, Vila M, Vohland K, Settele J (2009). Alien species in a warmer world: risks and opportunities. *Trends in Ecology & Evolution*, 24, 686–693.
- Wang S, Duan J, Xu G, Wang Y, Zhang Z, Rui Y, Luo C, Xu B, Zhu X, Chang X (2012). Effects of warming and grazing on soil N availability, species composition, and ANPP in an alpine meadow. *Ecology*, 93, 2365–2376.
- Weltzin JF, Bridgman SD, Pastor J, Chen J, Harth C (2003). Potential effects of warming and drying on peatland plant community composition. *Global Change Biology*, 9, 141–151.
- White SR, Bork EW, Cahill JF Jr. (2014). Direct and indirect drivers of plant diversity responses to climate and clipping across

northern temperate grassland. *Ecology*, 95, 3093–3103.

Wing SL, Harrington GJ, Smith FA, Bloch JI, Boyer DM, Freeman KH (2005). Transient floral change and rapid global warming at the Paleocene-Eocene boundary. *Science*, 310, 993–996.

Wu Z, Dijkstra P, Koch GW, Hungate BA (2012). Biogeochemical and ecological feedbacks in grassland responses to warming. *Nature Climate Change*, 2, 458–461.

Zhang X, Johnston ER, Li L, Konstantinidis KT, Han X (2017). Experimental warming reveals positive feedbacks to climate change in the Eurasian Steppe. *The ISME Journal*, 11, 885–895.

7.2 不支持

Dukes JS, Chiariello NR, Cleland EE, Moore LA, Shaw MR, Thayer S, Tobeck T, Mooney HA, Field CB (2005). Responses of grassland production to single and multiple global environmental changes. *PLOS Biology*, 3, 1829–1837.

Grime JP, Fridley JD, Askew AP, Thompson K, Hodgson JG, Bennett CR (2008). Long-term resistance to simulated climate change in an infertile grassland. *Proceedings of the National Academy of Sciences of the United States of America*, 105, 10028–10032.

Hoeppner SS, Dukes JS (2012). Interactive responses of old-field plant growth and composition to warming and precipitation. *Global Change Biology*, 18, 1754–1768.

Hoover DL, Knapp AK, Smith MD (2014). Resistance and resilience of a grassland ecosystem to climate extremes. *Ecology*, 95, 2646–2656.

Hudson JM, Henry GH (2010). High Arctic plant community resists 15 years of experimental warming. *Journal of Ecology*, 98, 1035–1041.

Kardol P, Campy CE, Souza L, Norby RJ, Weltzin JF, Classen AT (2010). Climate change effects on plant biomass alter dominance patterns and community evenness in an experimental old-field ecosystem. *Global Change Biology*, 16, 2676–2687.

Yang Z, Jiang L, Su F, Zhang Q, Xia J, Wan S (2016). Nighttime warming enhances drought resistance of plant communities in a temperate steppe. *Scientific Reports*, 6, 23267. DOI: 10.1038/srep23267.

Zavaleta ES, Shaw MR, Chiariello NR, Mooney HA, Field CB (2003). Additive effects of simulated climate changes, elevated CO₂, and nitrogen deposition on grassland diversity. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 7650–7654.

8 生态系统生产力提高

8.1 支持

Anav A, Friedlingstein P, Beer C, Ciais P, Harper A, Jones C, Murray-Tortarolo G, Papale D, Parazoo NC, Peylin P (2015). Spatiotemporal patterns of terrestrial gross primary production: a review. *Reviews of Geophysics*, 53, 785–818.

Ballantyne A, Smith W, Anderegg W, Kauppi P, Sarmiento J, Tans P, Shevliakova E, Pan Y, Poulter B, Anav A (2017). Accelerating net terrestrial carbon uptake during the warming hiatus due to reduced respiration. *Nature Climate Change*, 7, 148–152.

Cao M, Prince SD, Shugart HH (2002). Increasing terrestrial carbon uptake from the 1980s to the 1990s with changes in climate and atmospheric CO₂. *Global Biogeochemical Cycles*, 16, 11–17. DOI: 10.1029/2001GB001553.

Chen JM, Chen B, Higuchi K, Liu J, Chan D, Worthy D, Tans P, Black A (2006). Boreal ecosystems sequestered more carbon in warmer years. *Geophysical Research Letters*, 33, L10803. DOI: 10.1029/2006GL025919.

Del Grosso S, Parton W, Stohlgren T, Zheng D, Bachelet D, Prince S, Hibbard K, Olson R (2008). Global potential net primary production predicted from vegetation class, precipitation, and temperature. *Ecology*, 89, 2117–2126.

Fang J, Piao S, Field CB, Pan Y, Guo Q, Zhou L, Peng C, Tao S (2003). Increasing net primary production in China from 1982 to 1999. *Frontiers in Ecology and the Environment*, 1, 293–297.

Field CB, Behrenfeld MJ, Randerson JT, Falkowski P (1998). Primary production of the biosphere: integrating terrestrial and oceanic components. *Science*, 281, 237–240.

Forkel M, Carvalhais N, Rödenbeck C, Keeling R, Heimann M, Thonicke K, Zaehle S, Reichstein M (2016). Enhanced seasonal CO₂ exchange caused by amplified plant productivity in northern ecosystems. *Science*, 351, 696–699.

Friedlingstein P, Cox P, Betts R, Bopp L, von Bloh W, Brovkin V, Cadule P, Doney S, Eby M, Fung I (2006). Climate-carbon cycle feedback analysis: results from the C⁴MIP model intercomparison. *Journal of Climate*, 19, 3337–3353.

Gao Y, Zhou X, Wang Q, Wang C, Zhan Z, Chen L, Yan J, Qu R (2013). Vegetation net primary productivity and its response to climate change during 2001–2008 in the Tibetan Plateau. *Science of the Total Environment*, 444, 356–362.

Keeling CD, Chin J, Whorf T (1996). Increased activity of northern vegetation inferred from atmospheric CO₂ measurements. *Nature*, 382, 146–149.

Keenan TF, Gray J, Friedl MA, Toomey M, Bohrer G, Hollinger DY, Munger JW, O’Keefe J, Schmid HP, Wing IS (2014). Net carbon uptake has increased through warming-induced changes in temperate forest phenology. *Nature Climate Change*, 4, 598–604.

Kimball JS, Zhao M, McGuire A, Heinsch FA, Clein J, Calef M, Jolly WM, Kang S, Euskirchen S, McDonald K (2007). Recent climate-driven increases in vegetation productivity for the western Arctic: evidence of an acceleration of the northern terrestrial carbon cycle. *Earth Interactions*, 11, 1–30.

Lloyd AH, Bunn AG, Berner L (2011). A latitudinal gradient in tree growth response to climate warming in the Siberian taiga. *Global Change Biology*, 17, 1935–1945.

Lucht W, Prentice IC, Myneni RB, Sitch S, Friedlingstein P, Cramer W, Bousquet P, Buermann W, Smith B (2002). Climatic control of the high-latitude vegetation greening trend and Pinatubo effect. *Science*, 296, 1687–1689.

Miller AE, Schimel JP, Sickman JO, Meixner T, Doyle AP, Melack JM (2007). Mineralization responses at near-zero temperatures in three alpine soils. *Biogeochemistry*, 84, 233–245.

Morales P, Hickler T, Rowell DP, Smith B, Sykes MT (2007). Changes in European ecosystem productivity and carbon balance

- driven by regional climate model output. *Global Change Biology*, 13, 108–122.
- Myneni RB, Dong J, Tucker CJ, Kaufmann RK, Kauppi PE, Liski J, Zhou L, Alexeyev V, Hughes M (2001). A large carbon sink in the woody biomass of Northern forests. *Proceedings of the National Academy of Sciences*, 98, 14784–14789.
- Myneni RB, Keeling C, Tucker CJ, Asrar G, Nemani RR (1997). Increased plant growth in the northern high latitudes from 1981 to 1991. *Nature*, 386, 698–702.
- Nemani RR, Keeling CD, Hashimoto H, Jolly WM, Piper SC, Tucker CJ, Myneni RB, Running SW (2003). Climate-driven increases in global terrestrial net primary production from 1982 to 1999. *Science*, 300, 1560–1563.
- Park T, Ganguly S, Tømmervik H, Euskirchen ES, Høgda K-A, Karlsen SR, Brovkin V, Nemani RR, Myneni RB (2016). Changes in growing season duration and productivity of northern vegetation inferred from long-term remote sensing data. *Environmental Research Letters*, 11, 084001. DOI: 10.1088/1748-9326/11/8/084001.
- Peng S, Piao S, Ciais P, Myneni RB, Chen A, Chevallier F, Dolman AJ, Janssens IA, Penuelas J, Zhang G (2013). Asymmetric effects of daytime and night-time warming on Northern Hemisphere vegetation. *Nature*, 501, 88–92.
- Piao S, Ciais P, Friedlingstein P, Peylin P, Reichstein M, Luysaert S, Margolis H, Fang J, Barr A, Chen A (2008). Net carbon dioxide losses of northern ecosystems in response to autumn warming. *Nature*, 451, 49–52.
- Piao S, Friedlingstein P, Ciais P, Viovy N, Demarty J (2007). Growing season extension and its impact on terrestrial carbon cycle in the Northern Hemisphere over the past 2 decades. *Global Biogeochemical Cycles*, 21, GB3018. DOI: 10.1029/2006GB002888.
- Piao S, Friedlingstein P, Ciais P, Zhou L, Chen A (2006). Effect of climate and CO₂ changes on the greening of the Northern Hemisphere over the past two decades. *Geophysical Research Letters*, 33, L23402. DOI: 10.1029/2006GL028205.
- Potter C, Klooster S, Genovese V (2012). Net primary production of terrestrial ecosystems from 2000 to 2009. *Climatic Change*, 115, 365–378.
- Richardson AD, Andy Black T, Ciais P, Delbart N, Friedl MA, Gobron N, Hollinger DY, Kutsch WL, Longdoz B, Luysaert S (2010). Influence of spring and autumn phenological transitions on forest ecosystem productivity. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365, 3227–3246.
- Rustad L, Campbell J, Marion G, Norby R, Mitchell M, Hartley A, Cornelissen J, Gurevitch J (2001). A meta-analysis of the response of soil respiration, net nitrogen mineralization, and aboveground plant growth to experimental ecosystem warming. *Oecologia*, 126, 543–562.
- Ryan EM, Ogle K, Peltier D, Walker AP, De Kauwe MG, Medlyn BE, Williams DG, Parton W, Asao S, Guenet B (2017). Gross primary production responses to warming, elevated CO₂, and irrigation: quantifying the drivers of ecosystem physiology in a semiarid grassland. *Global Change Biology*, 23, 3092–3106.
- Slayback DA, Pinzon JE, Los SO, Tucker CJ (2003). Northern hemisphere photosynthetic trends 1982–99. *Global Change Biology*, 9, 1–15.
- Turner MM, Henry HA (2009). Interactive effects of warming and increased nitrogen deposition on ¹⁵N tracer retention in a temperate old field: seasonal trends. *Global Change Biology*, 15, 2885–2893.
- Wan S, Hui D, Wallace L, Luo Y (2005). Direct and indirect effects of experimental warming on ecosystem carbon processes in a tallgrass prairie. *Global Biogeochemical Cycles*, 19, GB2014. DOI: 10.1029/2004GB002315.
- Xu L, Myneni R, Chapin III F, Callaghan TV, Pinzon J, Tucker CJ, Zhu Z, Bi J, Ciais P, Tømmervik H (2013). Temperature and vegetation seasonality diminishment over northern lands. *Nature Climate Change*, 3, 581–586.
- Zhou L, Tucker CJ, Kaufmann RK, Slayback D, Shabanov NV, Myneni RB (2001). Variations in northern vegetation activity inferred from satellite data of vegetation index during 1981 to 1999. *Journal of Geophysical Research*, 106, 20069–20083.
- Zhu Z, Piao S, Myneni RB, Huang M, Zeng Z, Canadell JG, Ciais P, Sitch S, Friedlingstein P, Arneeth A (2016). Greening of the Earth and its drivers. *Nature Climate Change*, 6, 791–794.

8.2 不支持

- Angert A, Biraud S, Bonfils C, Henning C, Buermann W, Pinzon J, Tucker C, Fung I (2005). Drier summers cancel out the CO₂ uptake enhancement induced by warmer springs. *Proceedings of the National Academy of Sciences of the United States of America*, 102, 10823–10827.
- Brookshire E, Weaver T (2015). Long-term decline in grassland productivity driven by increasing dryness. *Nature Communications*, 6, 7148. DOI: 10.1038/ncomms8148.
- Ciais P, Reichstein M, Viovy N, Granier A, Ogé J, Allard V, Aubinet M, Buchmann N, Bernhofer C, Carrara A (2005). Europe-wide reduction in primary productivity caused by the heat and drought in 2003. *Nature*, 437, 529–533.
- Clark DA, Piper S, Keeling C, Clark DB (2003). Tropical rain forest tree growth and atmospheric carbon dynamics linked to interannual temperature variation during 1984–2000. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 5852–5857.
- Fu G, Zhang X, Zhang Y, Shi P, Li Y, Zhou Y, Yang P, Shen Z (2013). Experimental warming does not enhance gross primary production and above-ground biomass in the alpine meadow of Tibet. *Journal of Applied Remote Sensing*, 7, 073505. DOI: 10.1117/1.JRS.7.073505.
- Ma Z, Liu H, Mi Z, Zhang Z, Wang Y, Xu W, Jiang L, He JS (2017). Climate warming reduces the temporal stability of plant community biomass production. *Nature Communications*, 8, 15378. DOI: 10.1038/ncomms15378.
- Silva LC, Anand M, Leithead MD (2010). Recent widespread tree growth decline despite increasing atmospheric CO₂. *PLOS ONE*, 5, e11543. DOI: 10.1371/journal.pone.0011543.
- Wang W, Wang J, Liu X, Zhou G, Yan J (2016). Decadal drought decelerated the increasing trend of annual net primary production in tropical or subtropical forests in southern China. *Scientific Reports*, 6, 28640. DOI: 10.1038/srep28640.
- Williams AP, Allen CD, Macalady AK, Griffin D, Woodhouse CA, Meko DM, Swetnam TW, Rauscher SA, Seager R, Grissino-Mayer HD (2013). Temperature as a potent driver of regional forest drought stress and tree mortality. *Nature Climate Change*, 3, 292–297.
- Williams I, Torn M, Riley W, Wehner M (2014). Impacts of climate extremes on gross primary production under global warming. *Environmental Research Letters*, 9, 094011. DOI: 10.1088/1748-9326/9/9/094011.

- Wolf S, Keenan TF, Fisher JB, Baldocchi DD, Desai AR, Richardson AD, Scott RL, Law BE, Litvak ME, Brunsell NA (2016). Warm spring reduced carbon cycle impact of the 2012 US summer drought. *Proceedings of the National Academy of Sciences of the United States of America*, 113, 5880–5885.
- Zscheischler J, Michalak AM, Schwalm C, Mahecha MD, Huntzinger DN, Reichstein M, Berthier G, Ciais P, Cook RB, El-Masri B (2014). Impact of large-scale climate extremes on biospheric carbon fluxes: an intercomparison based on MsTMIP data. *Global Biogeochemical Cycles*, 28, 585–600.

9 土壤有机质分解加快

9.1 支持

- Bai E, Li S, Xu W, Li W, Dai W, Jiang P (2013). A meta-analysis of experimental warming effects on terrestrial nitrogen pools and dynamics. *New Phytologist*, 199, 441–451.
- Burke IC, Kaye JP, Bird SP, Hall SA, McCulley RL, Sommerville GL (2003). *Evaluating and Testing Models of Terrestrial Biogeochemistry: the Role of Temperature in Controlling Decomposition*. Models in Ecosystem Science Princeton University Press, Princeton, New Jersey, USA. 225–253.
- Conant RT, Ryan MG, Ågren GI, Birge HE, Davidson EA, Eliasson PE, Evans SE, Frey SD, Giardina CP, Hopkins FM (2011). Temperature and soil organic matter decomposition rates-synthesis of current knowledge and a way forward. *Global Change Biology*, 17, 3392–3404.
- Couteaux M-M, Botner P, Berg B (1995). Litter decomposition, climate and litter quality. *Trends in Ecology & Evolution*, 10, 63–66.
- Davidson EA, Janssens IA (2006). Temperature sensitivity of soil carbon decomposition and feedbacks to climate change. *Nature*, 440, 165–173.
- Davidson EA, Trumbore SE, Amundson R (2000). Soil warming and organic carbon content. *Nature*, 408, 789–790.
- Ding J, Chen L, Ji C, Hugelius G, Li Y, Liu L, Qin S, Zhang B, Yang G, Li F (2017). Decadal soil carbon accumulation across Tibetan permafrost regions. *Nature Geoscience*, 10, 420–424.
- Friedlingstein P, Cox P, Betts R, Bopp L, von Bloh W, Brovkin V, Cadule P, Doney S, Eby M, Fung I (2006). Climate-carbon cycle feedback analysis: results from the C⁴MIP model intercomparison. *Journal of Climate*, 19, 3337–3353.
- Gregorich EG, Janzen H, Ellert BH, Helgason BL, Qian B, Zebarth BJ, Angers DA, Beyaert RP, Drury CF, Duguid SD (2017). Litter decay controlled by temperature, not soil properties, affecting future soil carbon. *Global Change Biology*, 23, 1725–1734.
- Hopkins FM, Torn MS, Trumbore SE (2012). Warming accelerates decomposition of decades-old carbon in forest soils. *Proceedings of the National Academy of Sciences of the United States of America*, 109, 1753–1761.
- Kirschbaum MU (1995). The temperature dependence of soil organic matter decomposition, and the effect of global warming on soil organic C storage. *Soil Biology and Biochemistry*, 27, 753–760.
- Kirschbaum MUF (2006). The temperature dependence of organic-matter decomposition-still a topic of debate. *Soil Biology and Biochemistry*, 38, 2510–2518.
- Luan J, Liu S, Chang SX, Wang J, Zhu X, Liu K, Wu J (2014). Different effects of warming and cooling on the decomposition of soil organic matter in warm-temperate oak forests: a reciprocal translocation experiment. *Biogeochemistry*, 121, 551–564.
- Melillo JM, Butler S, Johnson J, Mohan J, Steudler P, Lux H, Burrows E, Bowles F, Smith R, Scott L (2011). Soil warming, carbon-nitrogen interactions, and forest carbon budgets. *Proceedings of the National Academy of Sciences of the United States of America*, 108, 9508–9512.
- Wall DH, Bradford MA, ST John MG, Trofymow JA, Behan-pelletier V, Bignell DE, Dangerfield JM, Parton WJ, Rusek J, Voigt W (2008). Global decomposition experiment shows soil animal impacts on decomposition are climate-dependent. *Global Change Biology*, 14, 2661–2677.
- Xue K, Yuan MM, Shi ZJ, Qin Y, Deng Y, Cheng L, Wu L, He Z, Van Nostrand JD, Bracho R (2016). Tundra soil carbon is vulnerable to rapid microbial decomposition under climate warming. *Nature Climate Change*, 6, 595–600.
- Zhang D, Hui D, Luo Y, Zhou G (2008). Rates of litter decomposition in terrestrial ecosystems: global patterns and controlling factors. *Journal of Plant Ecology*, 1, 85–93.

9.2 不支持

- Giardina CP, Ryan MG (2000). Evidence that decomposition rates of organic carbon in mineral soil do not vary with temperature. *Nature*, 404, 858–861.

10 土壤矿化速率加快

10.1 支持

- Abdalla M, Jones M, Williams M (2010). Simulation of N₂O fluxes from Irish arable soils: effect of climate change and management. *Biology and Fertility of Soils*, 46, 247–260.
- Bai E, Li S, Xu W, Li W, Dai W, Jiang P (2013). A meta-analysis of experimental warming effects on terrestrial nitrogen pools and dynamics. *New Phytologist*, 199, 441–451.
- Butler SM, Melillo JM, Johnson J, Mohan J, Steudler PA, Lux H, Burrows E, Smith R, Vario C, Scott L (2012). Soil warming alters nitrogen cycling in a New England forest: implications for ecosystem function and structure. *Oecologia*, 168, 819–828.
- Churkina G, Zaehle S, Hughes J, Viovy N, Chen Y, Jung M, Heumann B, Ramankutty N, Heimann M, Jones C (2010). Interactions between nitrogen deposition, land cover conversion, and climate change determine the contemporary carbon balance of Europe. *Biogeosciences*, 7, 2749–2764.
- Contosta AR, Frey SD, Cooper AB (2011). Seasonal dynamics of soil respiration and N mineralization in chronically warmed and fertilized soils. *Ecosphere*, 2, 1–21.
- Emmett BA, Beier C, Estiarte M, Tietema A, Kristensen HL, Williams D, Penuelas J, Schmidt I, Sowerby A (2004). The response

- of soil processes to climate change: results from manipulation studies of shrublands across an environmental gradient. *Ecosystems*, 7, 625–637.
- García-Palacios P, Vandegehuchte ML, Shaw EA, Dam M, Post KH, Ramirez KS, Sylvain ZA, de Tomasel CM, Wall DH (2015). Are there links between responses of soil microbes and ecosystem functioning to elevated CO₂, N deposition and warming? A global perspective. *Global Change Biology*, 21, 1590–1600.
- Grant R (2014). Nitrogen mineralization drives the response of forest productivity to soil warming: Modelling in *ecosys* vs. measurements from the Harvard soil heating experiment. *Ecological Modelling*, 288, 38–46.
- Greaver T, Clark C, Compton J, Vallano D, Talhelm A, Weaver C, Band L, Baron JS, Davidson E, Tague C (2016). Key ecological responses to nitrogen are altered by climate change. *Nature Climate Change*, 6, 836–843.
- Hobbie SE (1996). Temperature and plant species control over litter decomposition in Alaskan tundra. *Ecological Monographs*, 66, 503–522.
- Larsen KS, Andresen LC, Beier C, Jonasson S, Albert KR, Ambus P, Arndal MF, Carter MS, Christensen S, Holmstrup M (2011). Reduced N cycling in response to elevated CO₂, warming, and drought in a Danish heathland: synthesizing results of the CLIMATE project after two years of treatments. *Global Change Biology*, 17, 1884–1899.
- Lu M, Zhou X, Yang Q, Li H, Luo Y, Fang C, Chen J, Yang X, Li B (2013). Responses of ecosystem carbon cycle to experimental warming: a meta-analysis. *Ecology*, 94, 726–738.
- Melillo J, Steudler P, Aber J, Newkirk K, Lux H, Bowles F, Catricala C, Magill A, Ahrens T, Morrisseau S (2002). Soil warming and carbon-cycle feedbacks to the climate system. *Science*, 298, 2173–2176.
- Melillo JM, Butler S, Johnson J, Mohan J, Steudler P, Lux H, Burrows E, Bowles F, Smith R, Scott L (2011). Soil warming, carbon-nitrogen interactions, and forest carbon budgets. *Proceedings of the National Academy of Sciences of the United States of America*, 108, 9508–9512.
- Pendall E, Bridgman S, Hanson PJ, Hungate B, Kicklighter DW, Johnson DW, Law BE, Luo Y, Megonigal JP, Olsrud M (2004). Below-ground process responses to elevated CO₂ and temperature: a discussion of observations, measurement methods, and models. *New Phytologist*, 162, 311–322.
- Rustad L, Campbell J, Marion G, Norby R, Mitchell M, Hartley A, Cornelissen J, Gurevitch J (2001). A meta-analysis of the response of soil respiration, net nitrogen mineralization, and aboveground plant growth to experimental ecosystem warming. *Oecologia*, 126, 543–562.
- Schmidt IK, Jonasson S, Shaver G, Michelsen A, Nordin A (2002). Mineralization and distribution of nutrients in plants and microbes in four arctic ecosystems: responses to warming. *Plant and Soil*, 242, 93–106.
- Shaw MR, Harte J (2001). Response of nitrogen cycling to simulated climate change: differential responses along a subalpine ecotone. *Global Change Biology*, 7, 193–210.
- Verburg PS (2005). Soil solution and extractable soil nitrogen response to climate change in two boreal forest ecosystems. *Biology and Fertility of Soils*, 41, 257–261.
- Wang C, Wan S, Xing X, Zhang L, Han X (2006). Temperature and soil moisture interactively affected soil net N mineralization in temperate grassland in Northern China. *Soil Biology and Biochemistry*, 38, 1101–1110.
- Weedon JT, Kowalchuk GA, Aerts R, van Hal J, van Logtestijn R, Taş N, Röling WFM, van Bodegom PM (2012). Summer warming accelerates sub-arctic peatland nitrogen cycling without changing enzyme pools or microbial community structure. *Global Change Biology*, 18, 138–150.
- Xu W, Yuan W (2017). Responses of microbial biomass carbon and nitrogen to experimental warming: a meta-analysis. *Soil Biology and Biochemistry*, 115, 265–274.
- Xu Z, Yin H, Xiong P, Wan C, Liu Q (2012). Short-term responses of *Picea asperata* seedlings of different ages grown in two contrasting forest ecosystems to experimental warming. *Environmental and Experimental Botany*, 77, 1–11.
- Yin H, Chen Z, Liu Q (2012). Effects of experimental warming on soil N transformations of two coniferous species, Eastern Tibetan Plateau, China. *Soil Biology and Biochemistry*, 50, 77–84.
- Yin H, Li Y, Xiao J, Xu Z, Cheng X, Liu Q (2013). Enhanced root exudation stimulates soil nitrogen transformations in a subalpine coniferous forest under experimental warming. *Global Change Biology*, 19, 2158–2167.
- Zhang X-Z, Shen Z-X, Fu G (2015). A meta-analysis of the effects of experimental warming on soil carbon and nitrogen dynamics on the Tibetan Plateau. *Applied Soil Ecology*, 87, 32–38.
- Zhu Z, Piao S, Lian X, Myneni RB, Peng S, Yang H (2017). Attribution of seasonal leaf area index trends in the northern latitudes with “optimally” integrated ecosystem models. *Global Change Biology*, 23, 4798–4813.
- ## 10.2 不支持
- Beier C, Emmett B, Peñuelas J, Schmidt IK, Tietema A, Estiarte M, Gundersen P, Llorens L, Riis-Nielsen T, Sowerby A (2008). Carbon and nitrogen cycles in European ecosystems respond differently to global warming. *Science of the Total Environment*, 407, 692–697.
- Niklińska M, Maryański M, Laskowski R (1999). Effect of temperature on humus respiration rate and nitrogen mineralization: implications for global climate change. *Biogeochemistry*, 44, 239–257.
- Wan S, Hui D, Wallace L, Luo Y (2005). Direct and indirect effects of experimental warming on ecosystem carbon processes in a tallgrass prairie. *Global Biogeochemical Cycles*, 19, GB2014, DOI: 10.1029/2004GB002315.
- Zhang W, Parker K, Luo Y, Wan S, Wallace L, Hu S (2005). Soil microbial responses to experimental warming and clipping in a tallgrass prairie. *Global Change Biology*, 11, 266–277.