

江蓝, 魏晨思, 何中声, 朱静, 邢聪, 王雪琳, 刘金福, 沈彩霞, 施友文 (2022). 格氏栲天然林林窗植物群落功能性状的变异. 植物生态学报, 46, 267-279. DOI: 10.17521/cjpe.2021.0350

Jiang L, Wei CS, He ZS, Zhu J, Xing C, Wang XL, Liu JF, Shen CX, Shi YW (2022). Functional trait variation of plant communities in canopy gaps of *Castanopsis kawakamii* natural forest. *Chinese Journal of Plant Ecology*, 46, 267-279. DOI: 10.17521/cjpe.2021.0350

<https://www.plant-ecology.com/fileup/1005-264X/CN/10.17521/cjpe.2021.0350>

附录III 格氏栲天然林不同林窗大小地形与土壤因子

Supplement III Topography and soil factors of different size of canopy gaps in *Castanopsis kawakamii* natural forest

因子 Factor	平均值 Mean
海拔 Elevation (m)	210
土壤含水量 Soil water content ($\text{g}\cdot\text{kg}^{-1}$)	287.13
土壤温度 Soil temperature ($^{\circ}\text{C}$)	24.01
土壤 pH Soil pH	3.46
土壤水解氮含量 Soil hydrolyzed nitrogen content ($\text{g}\cdot\text{kg}^{-1}$)	121.16
土壤有效磷含量 Soil available phosphorus content ($\text{g}\cdot\text{kg}^{-1}$)	12.05