

吴赞, 彭云峰, 杨贵彪, 李秦鲁, 刘洋, 马黎华, 杨元合, 蒋先军 (2022). 青藏高原高寒草地退化对土壤及微生物化学计量特征的影响. *植物生态学报*, 46, 461-472. DOI: 10.17521/cjpe.2021.0339

Wu Z, Peng YF, Yang GB, Li QL, Liu Y, Ma LH, Yang YH, Jiang XJ (2022). Effects of land degradation on soil and microbial stoichiometry in Qingzang Plateau alpine grasslands. *Chinese Journal of Plant Ecology*, 46, 461-472. DOI: 10.17521/cjpe.2021.0339

<https://www.plant-ecology.com/CN/10.17521/cjpe.2021.0339>

#### 附录I 本研究meta分析涉及的文献

#### Supplement I List of references for the meta-analysis in this study

- Cai XB, Qian C, Zhang YQ (2007). Characterization of soil biological properties on degraded alpine grasslands. *Chinese Journal of Applied Ecology*, 18, 1733-1738. [蔡晓布, 钱成, 张永清 (2007). 退化高寒草原土壤生物学性质的变化. *应用生态学报*, 18, 1733-1738.]
- Chen QJ, Zhang NN, Zhong B, Chen DM, Sun G, Liu L (2019). Change of soil nutrient and aggregate structure during the desertification process of grassland in Zoige. *Ecological Science*, 38, 13-20. [陈秋捷, 张楠楠, 仲波, 陈冬明, 孙庚, 刘琳 (2019). 若尔盖高寒草地退化沙化过程中土壤养分与团聚体结构的变化特征. *生态科学*, 38, 13-20.]
- Dong LJ, Li JH, Chen S, Zhang R, Sun J, Ma MJ (2021). Changes in soil organic carbon content and their causes during the degradation of alpine meadows in Zoigê Wetland. *Chinese Journal of Plant Ecology*, 45, 507-515. [董利军, 李金花, 陈珊, 张瑞, 孙建, 马妙君 (2021). 若尔盖湿地高寒草甸退化过程中土壤有机碳含量变化及成因分析. *植物生态学报*, 45, 507-515.]
- Dong SK, Wen L, Li YY, Wang XX, Zhu L, Li XY (2012). Soil-quality effects of grassland degradation and restoration on the Qinghai-Tibetan Plateau. *Soil Science Society of America Journal*, 76, 2256-2264.
- Feng RZ, Zhou WH, Long RJ, Ma YS (2010). Characteristics of soil physical, chemical and biological properties on degraded alpine meadows in the headwater areas of the Yangtze and Yellow Rivers, Qinghai-Tibetan Plateau. *Chinese Journal of Soil Science*, 41, 263-269. [冯瑞章, 周万海, 龙瑞军, 马玉寿 (2010). 江河源区不同退化程度高寒草地土壤物理、化学及生物学特征研究. *土壤通报*, 41, 263-269.]
- He YL (2014). Changes of biomass and soil nutrients in the differently degraded alpine *Salix paraqpleisia* shrub meadows. *Acta Agriculturae Boreali-occidentalis Sinica*, 23, 184-190. [贺有龙 (2014). 不同退化程度高寒灌丛草甸植物量及土壤养分的变化. *西北农业学报*, 23, 184-190.]
- Jiang YM, Shi SL, Tian YL, Lu H, Li HY, Li JH, Lan XJ, Yao T (2017). Characteristics of soil microorganism and soil enzyme activities in alpine meadows under different degrees of degradation. *Journal of Soil and Water Conservation*, 31, 244-249. [蒋永梅, 师尚礼, 田永亮, 卢虎, 李海云, 李建宏, 兰晓君, 姚拓 (2017). 高寒草地不同退化程度下土壤微生物及土壤酶活性变化特征. *水土保持学报*, 31, 244-249.]
- Li CY, Peng F, Xue X, Lai CM, Zhang WJ, You QG, Chen XJ, Zhang XQ, Wang T (2021a). Degradation stage effects on vegetation and soil properties interactions in alpine steppe. *Journal of Mountain Science*, 18, 646-657.
- Li CY, Zhang WJ, Lai CM, Peng F, Chen XJ, Xue X, Wang T, You QG, Du HQ (2021b). Plant productivity, species diversity, soil properties, and their relationships in an alpine steppe under different degradation degrees at the source of the Yellow River. *Acta Ecologica Sinica*, 41, 4541-4551. [李成阳, 张文娟, 赖焱敏, 彭飞, 陈小杰, 薛娟, 王涛, 尤全刚, 杜鹤强 (2021b). 黄河源区不同退化程度高寒草原群落生产力、物种多样性和土壤特性及其关系研究. *生态学报*, 41, 4541-4551.]
- Li GR, Li XL, Chen WT, Li JF, Zhu HL, Hu XS, Zhou HK, Sun HQ (2020). Effects of degradation severity on the physical, chemical and mechanical properties of topsoil in alpine meadow on the Qinghai-Tibet Plateau, West China. *Catena*, 187, 104370. DOI: 10.1016/j.catena.2019.104370.
- Li HY, Zhang JG, Yao T, Yang XM, Gao YM, Li CN, Li Q, Feng Y (2018). Soil nutrients, enzyme activities and ecological stoichiometric characteristics in degraded alpine grasslands. *Journal of Soil and Water Conservation*, 32, 287-295. [李海云, 张建贵, 姚拓, 杨晓玫, 高亚敏, 李昌宁, 李琦, 冯影 (2018). 退化高寒草地土壤养分、酶活性及生态化学计量特征. *水土保持学报*, 32, 287-295.]
- Li SY, Sun J, Wang Y, Qin XJ, Ye CC (2020). Characteristics of soil enzyme activities in different degraded gradient grasslands on the Tibetan Plateau. *Pratacultural Science*, 37, 2389-2402. [李邵宇, 孙建, 王毅, 秦小静, 叶冲冲 (2020). 青藏高原不同退化梯度草地土壤酶活性特征. *草业科学*, 37, 2389-2402.]
- Li YM, Wang SP, Jiang LL, Zhang LR, Cui SJ, Meng FD, Wang Q, Li XE, Zhou Y (2016). Changes of soil microbial community under different degraded gradients of alpine meadow. *Agriculture, Ecosystems & Environment*, 222, 213-222.
- Li YY, Dong SK, Wen L, Wang XX, Wu Y (2014a). Soil carbon and nitrogen pools and their relationship to plant and soil dynamics of degraded and artificially restored grasslands of the Qinghai-Tibetan Plateau. *Geoderma*, 213, 178-184.

- Li YY, Dong SK, Liu S, Wang X, Wen L, Wu Y (2014b). The interaction between poisonous plants and soil quality in response to grassland degradation in the alpine region of the Qinghai-Tibetan Plateau. *Plant Ecology*, 215, 809-819.
- Lin CY, Li XL, Zhang J, Sun HF, Zhang J, Han HB, Wang QH, Ma CB, Li CY, Zhang YX, Ma XQ (2021). Effects of degradation succession of alpine wetland on soil organic carbon and total nitrogen in the Yellow River source zone, West China. *Journal of Mountain Science*, 18, 694-705.
- Lu H, Yao T, Li JH, Ma WB, Chai XH (2015). Vegetation and soil microorganism characteristics of degraded grasslands. *Acta Prataculturae Sinica*, 24, 34-43. [卢虎, 姚拓, 李建宏, 马文彬, 柴晓虹 (2015). 高寒地区不同退化草地植被和土壤微生物特性及其相关性研究. *草业学报*, 24, 34-43.]
- Luo YY, Zhang Y, Zhang JH, Ka ZJ, Shang LY, Wang SY (2012). Soil stoichiometry characteristics of alpine meadow at its different degradation stages. *Chinese Journal of Ecology*, 31, 254-260. [罗亚勇, 张宇, 张静辉, 卡召加, 尚伦宇, 王少影 (2012). 不同退化阶段高寒草甸土壤化学计量特征. *生态学杂志*, 31, 254-260.]
- Ma XP, Asano M, Tamura K, Zhao RN, Nakatsuka H, Wuyunna, Wang T (2020a). Physicochemical properties and micromorphology of degraded alpine meadow soils in the Eastern Qinghai-Tibet Plateau. *Catena*, 194, 104649. DOI: 10.1016/j.catena.2020.104649.
- Ma Y, Yang J, Zhang DG, Zhou H, Zhou HC, Chen JG (2020b). Effects of alpine meadow degradation on soil microbial biomass and nitrogen mineralization rate in the Qilian Mountains. *Acta Ecologica Sinica*, 40, 2680-2690. [马源, 杨洁, 张德罡, 周恒, 周会程, 陈建纲 (2020b). 高寒草甸退化对祁连山土壤微生物生物量和氮矿化速率的影响. *生态学报*, 40, 2680-2690.]
- Ma Y, Zhang DG, Zhou H, Zhou HC, Chen JG (2019). Effects of alpine meadow degradation on microbial biomass and enzyme activities in rhizosphere soil of dominant species. *Grassland and Turf*, 39, 44-52. [马源, 张德罡, 周恒, 周会程, 陈建纲 (2019). 高寒草甸退化对优势物种根际土壤微生物量及酶活性的影响. *草原与草坪*, 39, 44-52.]
- Peng YL, Qian C, Cai XB, Zhang YQ, Xue HY (2007). Soil enzyme activities in different degraded alpine grassland of Tibet. *Journal of Mountain Science*, 25, 344-350. [彭岳林, 钱成, 蔡晓布, 张永青, 薛会英 (2007). 西藏不同退化高寒草地土壤酶的活性. *山地学报*, 25, 344-350.]
- Shang ZH, Yang SH, Wang YL, Shi JJ, Ding LM, Long RJ (2016). Soil seed bank and its relation with above-ground vegetation along the degraded gradients of alpine meadow. *Ecological Engineering*, 90, 268-277.
- Wang XX, Dong SK, Gao QZ, Zhang Y, Hu GZ, Luo WR (2018). The rate of soil nitrogen transformation decreased by the degradation of alpine grasslands in the Qinghai Tibet Plateau. *Acta Prataculturae Sinica*, 27, 1-9. [王学霞, 董世魁, 高清竹, 张勇, 胡国铮, 罗文蓉 (2018). 青藏高原退化高寒草地土壤氮矿化特征以及影响因素研究. *草业学报*, 27, 1-9.]
- Wang YQ, Yin YL, Li SX (2019). Physicochemical properties and enzymatic activities of alpine meadow at different degradation degrees. *Ecology and Environmental Sciences*, 28, 1108-1116. [王玉琴, 尹亚丽, 李世雄 (2019). 不同退化程度高寒草甸土壤理化性质及酶活性分析. *生态环境学报*, 28, 1108-1116.]
- Wei WD, Li XL (2012). Characteristics of soil on different degraded grasslands on alpine meadow in source area of Lancang, Yellow and Yangtze River. *Hubei Agricultural Sciences*, 51, 1102-1106. [魏卫东, 李希来 (2012). 三江源区不同退化程度高寒草地土壤特征分析. *湖北农业科学*, 51, 1102-1106.]
- Wu JQ, Wang HY, Li G, Ma WW, Wu JH, Gong Y, Xu GR (2020). Vegetation degradation impacts soil nutrients and enzyme activities in wet meadow on the Qinghai-Tibet Plateau. *Scientific Reports*, 10, 21271. DOI: 10.1038/s41598-020-78182-9.
- Wu PF, Zhang HZ, Cui LW, Wickings K, Fu SL, Wang CT (2017). Impacts of alpine wetland degradation on the composition, diversity and trophic structure of soil nematodes on the Qinghai-Tibetan Plateau. *Scientific Reports*, 7, 837. DOI: 10.1038/s41598-018-23579-w.
- Xie HH, Wu QG, Hu JY, Yu LF, Bie PF, Wang H, Deng DZ (2018). Changes in soil physical and chemical properties during the process of alpine meadow degradation along the eastern Qinghai-Tibet Plateau. *Eurasian Soil Science*, 51, 1440-1446.
- Xu HP, Zhang J, Pang XP, Wang Q, Zhang WN, Wang J, Guo ZG (2019). Responses of plant productivity and soil nutrient concentrations to different alpine grassland degradation levels. *Environmental Monitoring and Assessment*, 191, 678. DOI: 10.1007/s10661-019-7877-2.
- Yang J, Liu QR, Wang XT (2020). Plant community and soil nutrient of alpine meadow in different degradation stages on the Tibetan Plateau, China. *Chinese Journal of Applied Ecology*, 31, 4067-4072. [杨军, 刘秋蓉, 王向涛 (2020). 青藏高原高山嵩草高寒草甸不同退化阶段植物群落与土壤养分. *应用生态学报*, 31, 4067-4072.]
- Yang YW, Li XL, Zhou XH, Qi YJ, Shi YY, Li CY, Zhou HK (2016). Study on relationship between plant community degradation and soil environment in an alpine meadow. *Acta Agrestia Sinica*, 24, 1211-1217. [杨元武, 李希来, 周旭辉, 祁银姐, 师月英, 李成一, 周华坤 (2016). 高寒草甸植物群落退化与土壤环境特征的关系研究. *草地学报*, 24, 1211-1217.]
- Yao YJ, Liang T, Ma Y, Zhou HC, Xiao HL, Sun B, Zhang DG, Chen JG (2020). Response of soil microbial community diversity to degradation degree of alpine meadow. *Acta Agrestia Sinica*, 28, 1489-1497. [姚玉娇, 梁婷, 马源, 周会

- 程, 肖海龙, 孙斌, 张德罡, 陈建纲 (2020). 土壤微生物群落多样性对高寒草甸退化程度的响应. *草地学报*, 28, 1489-1497.]
- Yin YL, Wang YQ, Bao GS, Wang HS, Li SX, Song ML, Shao BL, Wen YC (2017). Characteristics of soil microbes and enzyme activities in different degraded alpine meadows. *Chinese Journal of Applied Ecology*, 28, 3881-3890. [尹亚丽, 王玉琴, 鲍根生, 王宏生, 李世雄, 宋梅玲, 邵宝莲, 温玉存 (2017). 退化高寒草甸土壤微生物及酶活性特征. *应用生态学报*, 28, 3881-3890.]
- Yu LH, Wang J, Liao LR, Zhang C, Liu GB (2020). Soil microbial biomass, enzyme activities and ecological stoichiometric characteristics and influencing factors along degraded meadows on the Qinghai-Tibet Plateau. *Acta Agrestia Sinica*, 28, 1702-1710. [喻岚晖, 王杰, 廖李容, 张超, 刘国彬 (2020). 青藏高原退化草甸土壤微生物量、酶化学计量学特征及其影响因素. *草地学报*, 28, 1702-1710.]
- Yuan ZQ, Jiang XJ, Liu GJ, Jin HJ, Chen J, Wu QB (2019). Responses of soil organic carbon and nutrient stocks to human-induced grassland degradation in a Tibetan alpine meadow. *Catena*, 178, 40-48.
- Zhang R, Bai YF, Zhang T, Henkin Z, Degen AA, Jia TH, Guo CC, Long RJ, Shang ZH (2019a). Driving factors that reduce soil carbon, sugar, and microbial biomass in degraded alpine grasslands. *Rangeland Ecology & Management*, 72, 396-404.
- Zhang SY, Zhang DG, Liu XN, Chen JG, Xu CL, Duan CH (2012). Soil nutrient characteristics of alpine meadow at different degradation degrees in Eastern Qilian Mountains. *Pratacultural Science*, 29, 1028-1032. [张生楹, 张德罡, 柳小妮, 陈建纲, 徐长林, 段春华 (2012). 东祁连山不同退化程度高寒草甸土壤养分特征研究. *草业科学*, 29, 1028-1032.]
- Zhang ZC, Hou G, Liu M, Wei TX, Sun J (2019b). Degradation induces changes in the soil C:N:P stoichiometry of alpine steppe on the Tibetan Plateau. *Journal of Mountain Science*, 16, 2348-2360.
- Zhou H, Zhang DG, Jiang ZH, Sun P, Xiao HL, Wu YX, Chen JG (2019). Changes in the soil microbial communities of alpine steppe at Qinghai-Tibetan Plateau under different degradation levels. *Science of the Total Environment*, 651, 2281-2291.
- Zhou HC, Zhou H, Xiao HL, Ma Y, Li LZ, Zhang DG, Chen JG (2020). The variation characteristics of heavy metal content, nutrient and enzyme activity in soil of alpine steppe with different degradation gradient in the Three River Headwaters Region. *Acta Agrestia Sinica*, 28, 784-792. [周会程, 周恒, 肖海龙, 马源, 李林芝, 张德罡, 陈建纲 (2020). 三江源区不同退化梯度高寒草原土壤重金属含量及其与养分和酶活性的变化特征. *草地学报*, 28, 784-792.]
- Zhou HK, Zhao XQ, Wen J, Chen Z, Yao BQ, Yang YW, Xu WX, Duan JC (2012). The characteristics of soil and vegetation of degenerated alpine steppe in the Yellow River Source Region. *Acta Prataculturae Sinica*, 21(5), 1-11. [周华坤, 赵新全, 温军, 陈哲, 姚步青, 杨元武, 徐维新, 段吉闯 (2012). 黄河源区高寒草原的植被退化与土壤退化特征. *草业学报*, 21(5), 1-11.]
- Zi HB, Hu L, Ade LJ, Wang CT (2015). Distribution patterns of ratio of root to soil and soil physical chemical characteristics at the different degraded successional stages in an alpine meadow. *Acta Agrestia Sinica*, 23, 1151-1160. [字洪标, 胡雷, 阿的鲁骥, 王长庭 (2015). 不同退化演替阶段高寒草甸群落根土比和土壤理化特征分布格局. *草地学报*, 23, 1151-1160.]