

王雨婷, 刘旭婧, 唐驰飞, 陈玮钰, 王美娟, 向松竹, 刘梅, 杨林森, 傅强, 晏召贵, 孟红杰 (2023). 神农架极小种群植物庙台槭群落特征及种群动态. 植物生态学报, 48, 80-91. DOI: 10.17521/cjpe.2023.0091  
 Wang YT, Liu XJ, Tang CF, Chen WY, Wang MJ, Xiang SZ, Liu M, Yang LS, Fu Q, Yan ZG, Meng HJ (2023). Community characteristics and population dynamics of *Acer miaotaiense*, an extremely small population species in Shennongjia, China. *Chinese Journal of Plant Ecology*, 48, 80-91. DOI: 10.17521/cjpe.2023.0091  
<http://www.plant-ecology.com/CN/10.17521/cjpe.2023.0091>

#### 附录 IV 槭属和金钱槭属濒危物种种群特征及濒危原因

#### Supplement IV Population characteristics and causes of endangerment of endangered species of *Acer* and *Dipteronia*

物种 Species	种群特征 Population characteristics	濒危原因 Causes of endangerment	文献 References
梓叶槭 <i>Acer amplum</i> subsp. <i>catalpifolium</i>	(1) 仅在四川省有分布, 分布区域狭窄, 常以散生孤立于立地条件较差的陡崖峭壁, 种群分布少; (2) 结实能力较差, 种子质量不高, 萌发率较低; (3) 幼苗和幼树死亡率高, 种群处于衰退趋势。 (1) It is only found in Sichuan Province, and has a narrow distribution with very low population density. The individuals are isolated due to steep cliffs with poor connectivity, and rarely distributed in clusters. (2) Poor fruiting ability, low seed quality, and low germination rate. (3) The juvenile stage has a high mortality rate. The population is declining.	(1) 生境要求严格, 生境破碎化作用; (2) 结实个体少, 种子败育率高; (3) 种子扩散能力弱; (4) 人为破坏和病虫害的影响; (5) 种群缺乏幼龄个体, 幼苗更新困难。 (1) Strict habitat requirements, and habitat fragmentation. (2) A few fruiting individuals, and a high percentage of non-viable seeds. (3) Low dispersal ability. (4) Anthropogenic destruction, pests and diseases. (5) Lack of young individuals, and seedling recruitment limitation.	Xu & Liu, 2018, 2019; Zhang <i>et al.</i> , 2018, 2020; Xu, 2019
庙台槭 <i>Acer miaotaiense</i>	(1) 在陕西、河南、湖北、浙江和甘肃有分布, 种群规模小; (2) 庙台槭种群径级结构不完整, 多数处于衰退趋势; (3) 结实能力差, 萌发率低。 (1) It is distributed in Shaanxi, Henan, Hubei, Zhejiang and Gansu, and the population size is small. (2) The population of <i>A. miaotaiense</i> has an incomplete age structure, and most of the populations are declining. (3) The fruiting ability is poor, and the germination rate is low.	(1) 生境要求严苛, 适生境狭窄; (2) 幼苗幼树受到竞争强度大, 死亡率较高; (3) 结实个体少, 种子败育率高; (4) 人为干扰和病虫害影响; (5) 幼苗更新困难。 (1) Strict habitat requirements, and limited suitable areas. (2) High competition intensity of young individuals, and high mortality rate. (3) Rare fruiting individuals, and a high percentage of non-viable seeds. (4) Anthropogenic destruction, diseases and insect pests. (5) Seedling recruitment limitation.	Cao, 1999; Cao & Chen, 1996; Meng <i>et al.</i> , 2016; Li & Zheng, 2018; Li <i>et al.</i> , 2018; Zhou <i>et al.</i> , 2019; Sun <i>et al.</i> , 2022; Zhang, 2022
五小叶槭 <i>Acer pentaphyllum</i>	(1) 仅四川省有分布, 种群规模小, 仅存 500 余株, 且种群孤立; (2) 分布于地质条件不稳定的滑坡带上; (3) 幼苗较多, 但存活率较低。 (1) It is only found in Sichuan Province. The population size is small and isolated, and only 500 plants are found. (2) The population is distributed in landslide zones with unstable geological conditions. (3) The number of seedlings is large, but the survival rate is low.	(1) 生境不良, 季节性干旱; (2) 人为干扰。 (1) Poor habitat, and seasonal drought. (2) Anthropogenic disturbance.	Roh <i>et al.</i> , 2008; Sun <i>et al.</i> , 2010; Luo <i>et al.</i> , 2017
漾濞槭 <i>Acer yangbiense</i>	(1) 仅分布于云南省漾濞县, 散生; (2) 种群规模小, 12 个分布点共 577 株; (3) 结实率低、个体分散。 (1) It is sporadically distributed in Yangbi County, Yunnan Province. (2) The population size is small. A total of 577 plants are distributed in 12 points; (3) The seed setting rate is low and the individuals distribution are scattered.	(1) 人为干扰; (2) 更新能力差; (3) 生境被破坏。 (1) Anthropogenic disturbance. (2) Low ability of regeneration. (3) Destroyed habitat.	Yang <i>et al.</i> , 2015; He, 2019
云南金钱槭 <i>Dipteronia dyeriana</i>	(1) 仅云南省有分布, 零星分布于农区向自然植被的过渡地带; (2) 种群规模小; (3) 结实率高。 (1) It is sporadically distributed in the transition zone from agricultural areas to natural vegetation in Yunnan Province. (2) The low seed population size is small. (3) The seed setting rate is high.	(1) 生境要求严格; (2) 不耐荫; (3) 种子具深休眠特性, 种子的萌发率低; (4) 人为干扰; (5) 幼苗的成活率低, 更新困难。 (1) Strict habitat requirements. (2) Shade-zone intolerant. (3) Deep dormancy of seeds, and low germination rate. (4) Anthropogenic disturbance. (5) Low survival rate of seedlings, and recruitment limitation.	Su <i>et al.</i> , 2006; Ouyang <i>et al.</i> , 2006; Deng <i>et al.</i> , 2008

名录整理自国家重点保护野生植物(新版)、《中国珍稀濒危植物图鉴》《中国植物红皮书》, 极小种群(狭域分布)保护物种、中国物种红色名录(植物部分); 表中的 5 种植物均为我国 II 级保护植物, 且均为中国特有; 其中梓叶槭处于无危(LC)状态, 庙台槭处于易危(VU)状态, 云南金钱槭处于濒危(EN)状态, 五小叶槭和漾濞槭处于极危(CR)状态。

The list is compiled from the List of National Key Protected Wild Plants in China (new edition), *Rare and Endangered Plants in China*, *China Plant Red Data Book*, List of Plant Species with Extremely Small Populations, China Species Red List (Plant Section). The above five plants are all listed as second-level endangered species, and all of them are endemic to China. Among them, *Acer amplum* subsp. *catalpifolium* is in the least concern (LC) state, *Acer miaotaiense* is in the vulnerable (VU) state, *Dipteronia dyeriana* is in the endangered (EN) state, and *Acer pentaphyllum* and *Acer yangbiense* are critically endangered (CR) status.

## 参考文献

- Cao XY (1999). Studies on the reproductive biology of a China rare plant—*Acer miaotaiense*—II. Megasporegenesis microsporegenesis and development of female and male gametophyte. *Journal of Shaanxi University of Technology (Social Sciences)*, 17(3), 50-54. [曹小勇 (1999). 濒危植物庙台槭生殖生物学研究—II. 大小孢子发生和雌雄配子体发育. 汉中师范学院学报(自然科学), 17(3), 50-54.]
- Cao XY, Chen K (1996). Discussion on the endangering factors of *Acer miaotaiense*. *Acta Botanica Boreali-Occidentalia Sinica*, 16(5), 12-15. [曹小勇, 陈恺 (1996). 庙台槭濒危原因的讨论. 西北植物学报, 16(5), 12-15.]
- Deng Y, Wang B, Su WH, Zhang GF, Ouyang ZQ (2008). Adaptability of endangered plant *Dipteronia dyerana* under irradiance and water stress. *Chinese Journal of Ecology*, 27, 888-893. [邓云, 王冰, 苏文华, 张光飞, 欧阳志勤 (2008). 濒危植物云南金钱槭对光、水环境的适应性. 生态学杂志, 27, 888-893.]
- He HJ (2019). Protecting plant diversity—Humans in action. *Life World*, (5), 12-15. [何华杰 (2019). 保护植物多样性—人类在行动. 生命世界, (5), 12-15.]
- Li SX, Zheng ML (2018). *Acer miaotaiense* distribution in Taibai Mountains. *Shaanxi Forest Science and Technology*, 46(1), 19-22. [李双喜, 郑曼莉 (2018). 太白山地区庙台槭分布状况调查. 陕西林业科技, 46(1), 19-22.]
- Li X, Hou L, Li SX, Li YY (2018). Population quantitative characteristics and dynamic analysis of the endangered plant *Acer miaotaiense*. *Plant Science Journal*, 36, 524-533. [李翔, 侯璐, 李双喜, 李颖岳 (2018). 濒危树种庙台槭种群数量特征及动态分析. 植物科学学报, 36, 524-533.]
- Luo XB, Wang XL, Hao YQ, Xiong J, Zeng DG (2017). A study of species diversity and dominant species niche characteristics of *Acer pentaphyllum* community. *Journal of Sichuan Forestry Science and Technology*, 38(6), 79-83. [罗晓波, 王晓玲, 郝云庆, 熊皎, 曾德刚 (2017). 五小叶槭群落物种多样性与主要优势种生态位特征研究. 四川林业科技, 38(6), 79-83.]
- Meng QF, Gao HL, Li HX, Xu HJ (2016). Biological and ecological characteristics of rare and endangered species of *Acer miaotaiense*. *Henan Science*, 34, 1830-1834. [孟庆法, 高红莉, 李红喜, 徐焕军 (2016). 珍稀濒危树种庙台槭的生物学及生态学特性研究. 河南科学, 34, 1830-1834.]
- Ouyang ZQ, Su WH, Zhang GF (2006). Studies on character of seed germination of rare plant *Dipteronia dyeriana*. *Acta Botanica Yunnanica*, 28, 509-514. [欧阳志勤, 苏文华, 张光飞 (2006). 稀有植物云南金钱槭种子萌发特性的研究. 云南植物研究, 28, 509-514.]
- Roh MS, McNamara WA, Picton D, Yin KP, Wang Q (2008). Assessment of genetic variation in *Acer pentaphyllum* based on amplified fragment length polymorphisms. *Journal of Horticultural Science and Biotechnology*, 83, 725-731.
- Su WH, Zhang GF, Ouyang ZQ (2006). Community characteristics and conservation strategies of a rare species, *Dipteronia dyeriana* (Aceraceae). *Acta Botanica Yunnanica*, 28, 54-58. [苏文华, 张光飞, 欧阳志勤 (2006). 稀有植物云南金钱槭生长群落特征与保护对策. 云南植物研究, 28, 54-58.]
- Sun ZM, Liu YH, Peng QT, Xu ZY, Yang YJ, Ou WH, Li ZQ (2022). Competition status and conservation suggestions for Wild Plant with Extremely Small Populations in primary communities in Hubei Province. *Biodiversity Science*, 30, 72-79. [孙哲明, 刘亚恒, 彭秋桐, 徐芷妍, 杨予静, 欧文慧, 李中强 (2022). 湖北省极小种群野生植物在原生群落中的竞争地位及保护建议. 生物多样性, 30, 72-79.]
- Sun ZY, Li MF, Li BJ, Zhang H, Pang DH, Guo YS (2020). Rare and endangered plants *Acer pentaphyllum* in Yajiang County, Sichuan. *Journal of Sichuan Forestry Science and Technology*, 31(6), 86-87. [孙治宇, 李明富, 李八斤, 张惠, 庞德洪, 郭延蜀 (2020). 四川雅江县珍稀濒危植物五小叶槭. 四川林业科技, 31(6), 86-87.]
- Xu H (2019). *Study on Population Characteristics of Acer catalpifolium*. Master degree dissertation, Beijing Forestry University, Beijing. [许恒 (2019). 梓叶槭种群特征研究. 硕士学位论文, 北京林业大学, 北京.]
- Xu H, Liu YH (2018). Relationship between diameter class structure and intraspecific and interspecific competitions of precious and endangering plant *Acer catalpifolium*. *Acta Botanica Boreali-Occidentalia Sinica*, 38, 1160-1170. [许恒, 刘艳红 (2018). 珍稀濒危植物梓叶槭种群径级结构与种内种间竞争关系. 西北植物学报, 38, 1160-1170.]
- Xu H, Liu YH (2019). The population structure, dynamics features and protection strategy of *Acer catalpifolium* extremely small population. *Journal of Nanjing Forestry University (Natural Sciences Edition)*, 43(2), 47-54. [许恒, 刘艳红 (2019). 极小种群梓叶槭种群结构及动态特征. 南京林业大学学报(自然科学版), 43(2), 47-54.]
- Yang J, Zhao LL, Yang JB, Sun WB (2015). Genetic diversity and conservation evaluation of a critically endangered endemic maple, *Acer yangbiense*, analyzed using microsatellite markers. *Biochemical Systematics and Ecology*, 60, 193-198.
- Zhang Y (2022). *Study on Community Characteristics, Seed Characteristics and Cutting Propagation Technology of Endangered Plant Acer miaotaiense*. Master degree dissertation, Northwest A&F University, Yangling, Shaanxi. [张贇 (2022). 濒危植物庙台槭群

落特征、种子特性及扦插繁殖技术研究. 硕士学位论文, 西北农林科技大学, 陕西杨凌.]

Zhang YY, Ma WB, Yu T, Ji HJ, Gao J, Li JQ, Gao S, Ke L (2018). Population structure and community characteristics of *Acer catalpifolium* Rehd. *Chinese Journal of Applied and Environmental Biology*, 24, 697-703. [张宇阳, 马文宝, 于涛, 姬慧娟, 高健, 李俊清, 高尚, 柯蕾 (2018). 梓叶槭的种群结构和群落特征. 应用与环境生物学报, 24, 697-703.]

Zhang YY, Yu T, Ma WB, Wang F, Tian C, Li JQ (2020). Physiological and morphological effects of different canopy densities on reintroduced *Acer catalpifolium*. *Biodiversity Science*, 28, 323-332. [张宇阳, 于涛, 马文宝, 王飞, 田成, 李俊清 (2020). 不同郁闭度对野外回归的梓叶槭幼树形态和生理特征的影响. 生物多样性, 28, 323-332.]

Zhou ZL, Pei HM, Sha H, Liu XD, Du K (2019). Structure analysis of the rare and endangered species *Acer miaotaiense* P. C. Tsoong in Xiaolongshan region. *Journal of Temperate Forestry Research*, 2(2), 18-24. [周卓玲, 裴会明, 沙红, 刘学东, 杜坤 (2019). 小陇山林区珍稀濒危植物庙台槭种群结构分析. 温带林业研究, 2(2), 18-24.]